UNMIXER®

COMMERCIAL
KITCHEN PRODUCT
WATER RELATED
ACCESSORIES
FOR HOTEL KITCHEN
EQUIPMENT
AND FOOD
SERVICE INDUSTRY



UNMIXER®

SUNMIXER KITCHEN & SANITARY TECHNOLOGY CO.LTD.

Address: ROOM 1608, NO.655 HUBIN ROAD, WUXI JIANGSU CHINA
Http://www.prerinsesink.com E-mai l: unifit@163.com
Tel: +86-18951561955 Tel: +86-13951583121
Tel: +86-15094382161 Fax: +86-0510-82805020

Top-Rinse® WATER INDUSTRY

Chubiao® 厨镖

C·K·F® Standard

Top-Rinse® WATER INDUSTRY

Chubiao® 厨镖

C·K·F® Standard

NORTH AMERICA 01-116

ECONOMIC 117-136

EUROPEAN 137-205

NSF 372 CE ACS WRAS Water Regulations Advisory Scheme

Top-Rinse® WATER INDUSTRY

Faucets & Components

* Product Adaptability
* Faucet Fittings
* Sink and Pantry Faucets and Nozzles
* Workboard Faucets
* Waste Valves and Accessories
* Parts Kits and Accessories



Company brief introduction

Founded in 1999, Sunmixer Sanitary Ware Company has been designing and developing many kinds of residential faucets and commercial faucets.We become the first one to manufacture the commercial faucets in China since 2001. Sunmixer is highly regarded as innovative and reliable manufacturer superior quality products for the commercial plumbing. From high quality Pre-rinse Faucets to Workboard Faucets, From Foot Valve to Hose Reel and Waste Valve, Sunmixer is a main leader in the plumbing industry in China.


Certification

SUNMIXER was ISO-9001:2000 approved in 2011 , and our products are widely approved for various market standard such as NSF61-9, NSF-372, WRAS, ACS and CE. Our products are produced with highest standard and workmanship in the industry, with strict quality control.Specially NSF61-9 is an important certificatin for safety drinking water application. We set up all necessary testing equipment in our lab to ensure our products to be produced under standard, with a result to bring our customer great value for reliable, durable, healthy and easy installation and service.

Warranty

Sunmixer warrants all products without defects in material and workmanship for 5 years from the date of purchase. We are responsible for the defective after our examination during the 5years. If return defective merchandise, the customer should bear shipping cost by himself. We appreciate no claims for labor,shipping costs or consequential damages .





SH SPRING
- This spring is designed to protect hose to avoid damage from long time of using.

H HOSES
- Stainless steel hoses with double interlocked covers for long life
  Sealed ends prevent tears
  Vinyl nylon reinforced inner hose tested to 1200 PSI

S SPRING
Pre-assembled spring reinforced at the stress point where hose connects
Protects and extends life of hose

E EASYINSTALL
- Patented design Unique"pop-and-lock" riser connection that takes as little as 10 minutes to install

FB FAUCETS BODY
- Forged one-piece base faucet eliminates leaks
- Copper layer over casting makes smoother surface
- Thick chrome plating

AS ALWAYS SEIVEL
- Once you try it
- You'll always swivel

SV SPRAY VALVES
- Forged one-piece base faucet eliminates leaks
- Copper layer over casting makes smoother surface
- Thick chrome plating

AF ADD-ON FAUCET
- Adds swing nozzle to pre-rinse units
- 12"(305mm)length nozzle
- Includes 3"(76mm)nipple for installation on existing base faucets

C CARTRIDGES
- Interchangeable
- Self-contained and easily replaced
- Ceramic and compression

P PACKAGING
- Pre-assembled parts are ready for quick installation
- Fewer parts to misplace

CONTENTS

01-34 PRE-RINSE UNITS

35-43 SWING NOZZLES FAUCETS

44-47 SWING GOOSENECK FAUCETS

48-51 DOUBLE-JOINT FAUCETS

52-55 SWING NOZZLE & GOOSE NECK FAUCET WITH CROSS HANDLE

56-57 WRIST ACTION HANDLE FAUCETS

58-59 RANGE FAUCETS AND SERVICE FACETS

60-65 BASE PANTRY FAUCETS

66-67 BIG-FLO FAUCETS

68-68 NOZZLES

69-72 PANTRY FAUCET WITH ADD ON FAUCETS

73-75 POT FILLER FAUCETS

76-78 UTILITY SPRAY FAUCETS

79-82 PARTS KIT AND ELECTRONIC FAUCETS

83-91 BOWL FAUCETS AND WATER STATION FAUCETS

92-95 KITCHEN SHOWER FAUCET

97-100 FOOT VALVE AND DISPENSER

101-102 WASTE VALVE

103-111 HOSE REEL AND ACCESSORIES

112-114 FITTINGS

Top-Rinse®
WATER INDUSTRY

• PRE-RINSE UNITS
• MINI PRE-RINSE UNITS



PRE-RINSE UNIT





Pre-rinse unit

98001-1

1)Deck mounted type
2)Heavy duty construction
3)20"(510mm)riser
4)44"(1118mm)flexible stainless steel hose,
5)Spray valve
6)6"(152)or 12"(305mm)Wall bracket
7)The product includes check valve to prevent cross-flow
8)The spray valve conforms to ANSI/ASTM F2324-03
9)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)







Pre-rinse unit


98001-2

1)Deck mounted type
2)Heavy duty construction
3)15.7"(400mm)riser
4)44"(1118mm)flexible stainless steel hose,
5)Spray valve
6)6"(152)or 12"(305mm)Wall bracket
7)The product includes check valve to prevent cross-flow
8)Add-on faucet, Swing nozzle with 12"(305mm)length
9)The spray valve conforms to ANSI/ASTM F2324-03
10)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)

PRE-RINSE UNIT

Top-Rinse® WATER INDUSTRY



Pre-rinse unit

98002-1


8"(203mm)Center Wall mounted type


98002UK-1

7"(180mm)Center Wall mounted type

1)Heavy duty construction
2)15.7"(400mm)riser
3)44"(1118mm)flexible stainless steel hose,
4)spray valve
5)6"(152mm)or 12"(305mm)Wall bracket
6)The product includes check valve to prevent cross-flow
7)The spray valve conforms to ANSI/ASTM F 2324-03
8)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)







Pre-rinse unit

98002-2

8"(203mm)Center Wall mounted type

98002UK-2

7"(180mm)Center Wall mounted type

1)Heavy duty construction
2)15.7"(400mm)riser
3)44"(1118mm)flexible stainless steel hose,
4)spray valve
5)6"(152mm)or 12"(305mm)Wall bracket
6)The product includes check valve to prevent cross-flow
7)Add-on faucet, Swing nozzle with 12"(305mm)length
8)The spray valve conforms to ANSI/ASTM F2324-03
9)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)

PRE-RINSE UNIT



Pre-rinse unit

98007-1

8"(203mm)Center Deck mounted type

98007UK-1


7"(180mm)Center Deck mounted type

98007EU-1

6"(152mm)Center Deck mounted type

1)Heavy duty construction
2)20"(510mm)riser
3)44"(1118mm)flexible stainless steel hose,
4)spray valve
5)6"(152mm)or 12"(305mm)Wall bracket
6)The product includes check valve to prevent cross-flow
7)The spray valve conforms to ANSI/ASTM F 2324-03
8)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)



Top-Rinse® WATER INDUSTRY





Pre-rinse unit


98006-1

1)4"(102mm)Center Deck mounted type
2)Heavy duty construction
3)20"(510mm)riser
4)44"(1118mm)flexible stainless steel hose,
5)Spray valve
6)6"(152)or 12"(305mm)Wall bracket
7)The product includes check valve to prevent cross-flow
8)The spray valve conforms to ANSI/ASTM F2324-03
9)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)







Pre-rinse unit

98007-2

8"(203mm)Center Deck mounted type

98007UK-2


7"(180mm)Center Deck mounted type


98007EU-2

6"(152mm)Center Deck mounted type

1)Heavy duty construction
2)20"(510mm)riser
3)44"(1118mm)flexible stainless steel hose,
4)Spray valve
5)6"(152)or 12"(305mm)Wall bracket
6)The product includes check valve to prevent cross-flow
7)Add-on faucet, Swing nozzle with 12"(305mm)length
8)The spray valve conforms to ANSI/ASTM F2324-03
9)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)





Pre-rinse unit

98006-2

1)4"(102mm)Center Deck mounted type
2)Heavy duty construction
3)20"(510mm)riser
4)44"(1118mm)flexible stainless steel hose,
5)Spray valve
6)6"(152)or 12"(305mm)Wall bracket
7)The product includes check valve to prevent cross-flow
8)Add-on faucet, Swing nozzle with 12"(305mm)length
9)The spray valve conforms to ANSI/ASTM F2324-03
10)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)





Pre-rinse unit

98008-1

1)Deck mounted type
2)Heavy duty construction
3)20"(510mm)riser
4)44"(1118mm)flexible stainless steel hose,
5)Spray valve
6)6"(152)or 12"(305mm)Wall bracket
7)The product includes check valve to prevent cross-flow
8)The spray valve conforms to ANSI/ASTM F2324-03
9)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)







Pre-rinse unit

98008-2

1)Deck mounted type
2)Heavy duty construction
3)20"(510mm)riser
4)44"(1118mm)flexible stainless steel hose,
5)Spray valve
6)6"(152)or 12"(305mm)Wall bracket
7)The product includes check valve to prevent cross-flow
8)Add-on faucet, Swing nozzle with 12"(305mm) length
9)The spray valve conforms to ANSI/ASTM F2324-03
10)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)





Pre-rinse unit

98009-1

1)Deck mounted type
2)Heavy duty construction
3)20"(510mm)riser
4)44"(1118mm)flexible stainless steel hose,
5)spray valve
6)6"(152mm)or 12"(305mm)Wall bracket
7)The product includes check valve to prevent cross-flow
8)The spray valve conforms to ANSI/ASTM F 2324-03
9)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)







Pre-rinse unit

98009-2

1)Deck mounted type
2)Heavy duty construction
3)20"(510mm)riser
4)44"(1118mm)flexible stainless steel hose,
5)spray valve
6)6"(152mm)or 12"(305mm)Wall bracket
7)The product includes check valve to prevent cross-flow
8)Add-on faucet, Swing nozzle with 12"(305mm)length
9)The spray valve conforms to ANSI/ASTM F2324-03
10)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)


PRE-RINSE UNIT




Pre-rinse Faucet

98010-1

1)Wall-mounted type
2)20"(510mm) riser
3)6" (152mm) wall bracket included
4)With foot pedal valve control pantry faucet
5)44"(1118mm) flexible stainless steel hose
6)The spray valve conforms
to ANSI/ASTM F2324-03
7)The product includes check valve to
prevent cross-flow
8)Ideal for food service, commercial kitchens,
restaurants and hotel applications







Pre-rinse Faucet

98010-2

1)Wall-mounted type
2) Add on faucet with swing nozzle
12"(305mm)length
3)20"(510mm) riser
4)With foot pedal valve control pantry faucet
5)6" (152mm) wall bracket included
6)44"(1118mm) flexible stainless steel hose,
7)The spray valve conforms
to ANSI/ASTM F2324-03
8)Add-on faucet, Swing nozzle with 12"(305mm)length
9)The product includes check valve to
prevent cross-flow
10)Ideal for food service, commercial kitchens,
restaurants and hotel applications

PRE-RINSE UNIT


Top-Rinse WATER INDUSTRY




Pre-rinse Faucet

98011-1

1)Wall-mounted type
2)20"(510mm) riser
3)6" (152mm) wall bracket included
4)44"(1118mm) flexible stainless steel hose,
5)The spray valve conforms
to ANSI/ASTM F2324-03
6)The product includes check valve to prevent
cross-flow
7)Ideal for food service, commercial kitchens,
restaurants and hotel applications







Pre-rinse Faucet

98011-2


1)Wall-mounted type
2)Add on faucet with swing nozzle 12"
(305mm)length
3)20"(510mm) riser
4)6" (152mm) wall bracket included
5)44"(1118mm) flexible stainless steel hose,
6)The spray valve conforms to ANSI/ASTM F2324-03
7)Add-on faucet, Swing nozzle with 12"(305mm)
length
8)The product includes check valve to prevent
cross-flow
9)Ideal for food service, commercial kitchens,
restaurants and hotel applications


PRE-RINSE UNIT



Pre-rinse Faucet
98012-1

1)Deck-mounted type
2)20"(510mm) riser
3)6" (152mm) wall bracket included
4)44"(1118mm) flexible stainless steel hose
5)The spray valve conforms to ANSI/ASTM F2324-03
6)The product includes check valve to prevent cross-flow
7)Ideal for food service, commercial kitchens, restaurants and hotel applications







Pre-rinse Faucet
98012-2

1)Deck-mounted type
2)20"(510mm) riser
3)6" (152mm) wall bracket included
4)44"(1118mm) flexible stainless steel hose
5)The spray valve conforms to ANSI/ASTM F2324-03
6)Add-on faucet, Swing nozzle with 12"(305mm) length
7)The product includes check valve to prevent cross-flow
8)Ideal for food service, commercial kitchens, restaurants and hotel applications


PRE-RINSE UNIT


Top-Rinse WATER INDUSTRY



Pre-rinse Faucet
98013-1

1)Wall-mounted standard duty type
2)6"(152mm)center
3)20"(510mm) riser
4)6" (152mm) wall bracket included
5)44"(1118mm) flexible stainless steel hose
6)The spray valve conforms to ANSI/ASTM F2324-03
7)The product includes check valve to prevent cross-flow
8)Ideal for food service, commercial kitchens, restaurants and hotel applications







Pre-rinse Faucet
98013-2

1)Wall-mounted standard duty type
2)6"(152mm)center
3)20"(510mm) riser
4)6" (152mm) wall bracket included
5)44"(1118mm) flexible stainless steel hose
6)The spray valve conforms to ANSI/ASTM F2324-03
7)Add-on faucet, Swing nozzle with 12"(305mm) length
8)The product includes check valve to prevent cross-flow
9)Ideal for food service, commercial kitchens, restaurants and hotel applications

PRE-RINSE UNIT





Pre-rinse Faucet

98014-1

1)Wall mounted base faucet with adjustable inlet arms from2-1/4"to8-1/4"(57mm to 210mm)centers
2)Heavy duty construction
3)20"(510mm)riser
4)44"(1118mm)flexible stainless steel hose,
5)spray valve
6)6"(152mm)or 12"(305mm)Wall bracket
7)The product includes check valve to prevent cross-flow
8)The spray valve conforms to ANSI/ASTM F 2324-03
9)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)







Pre-rinse Faucet

98014-2

1)Wall mounted base faucet with adjustable inlet arms from2-1/4"to8-1/4"(57mm to 210mm)centers
2)Heavy duty construction
3)20"(510mm)riser
4)44"(1118mm)flexible stainless steel hose,
5)spray valve
6)6"(152mm)or 12"(305mm)Wall bracket
7)The product includes check valve to prevent cross-flow
8)Add-on faucet, Swing nozzle with 12"(305mm)length
9)The spray valve conforms to ANSI/ASTM F2324-03
10)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)

PRE-RINSE UNIT


Top-Rinse® WATER INDUSTRY




Pre-rinse Faucet

98008-M001

1)Deck-mounted type
2)37-7/8"(962mm) high
3)With swivel arm support heavy duty, mounts to riser pipe and swivel arm
4)Heavy duty swivel arm mated to spray valve
5)The spray valve conforms to ANSI/ASTM F2324-03
6)Available with 12" (305mm) swing arm offering a full 360℃ rotation
7)6"(152mm) wall bracket included
8)The product includes check valve to prevent cross-flow
9)Ideal for food service, commercial kitchens, restaurants and hotel applications







Pre-rinse Faucet

98009-M001


1)Deck-mounted type
2)37-7/8"(962mm) high
3)With swivel arm support heavy duty, mounts to riser pipe and swivel arm
4)Swivel arm mated to spray valve
5)The spray valve conforms to ANSI/ASTM F2324-03
6)Available with 12" (305mm) swing arm offering a full 360℃ rotation
7)6" (152mm) wall bracket included
8)Ideal for food service, commercial kitchens, restaurants and hotel applications





Pre-rinse Faucet

98001-M001

1)Deck-mounted type
2)37-7/8"(962mm) high
3)With swivel arm support heavy duty, mounts to riser pipe and swivel arm
4)Swivel arm mated to spray valve
5)The spray valve conforms to ANSI/ASTM F2324-03
6)Available with 12" (305mm) swing arm offering a full 360℃rotation
7)6" (152mm) wall bracket included
8)The product includes check valve to prevent cross-flow
9)Ideal for food service, commercial kitchens, restaurants and hotel applications







Pre-rinse Faucet

98002-M001

8"(203mm) wall-mounted type

98002UK-M001

7"(180mm) wall-mounted type


1)37-7/8"(962mm) high
2)With swivel arm support heavy duty, mounts to riser pipe and swivel arm
3)Swivel arm mated to spray valve
4)The spray valve conforms to ANSI/ASTM F2324-03
5)Available with 12" (305mm) swing arm offering a full 360℃ rotation
6)6" (152mm) wall bracket included
7)The product includes check valve to prevent cross-flow
8)Ideal for food service, commercial kitchens, restaurants and hotel applications




Pre-rinse Faucet

98006-M001

1)4"(102mm)center deck-mounted type
2)37-7/8"(962mm) high
3)With swivel arm support heavy duty, mounts to riser pipe and swivel arm
4)Swivel arm mated to spray valve
5)The spray valve conforms to ANSI/ASTM F2324-03
6)Available with 12" (305mm) swing arm offering a full 360℃ rotation
7)6" (152mm) wall bracket included
8)The product includes check valve to prevent cross-flow
9)Ideal for food service, commercial kitchens, restaurants and hotel applications







Pre-rinse Faucet

98007-M001

8"(203mm)center deck-mounted type

98007UK-M001


7"(180mm)center deck-mounted type

98007EU-M001

6"(152mm)center deck-mounted type

1)37-7/8"(962mm) high
2)With swivel arm support heavy duty, mounts to riser pipe and swivel arm
3)Swivel arm mated to spray valve
4)The spray valve conforms to ANSI/ASTM F2324-03
5)Available with 12" (305mm) swing arm offering a full 360℃ rotation
6)6" (152mm) wall bracket included
7)The product includes check valve to prevent cross-flow
8)Ideal for food service, commercial kitchens, restaurants and hotel applications


PRE-RINSE UNIT




Pre-rinse Faucet

98010-M001

1)Wall-mounted type
2)37-7/8"(962mm) high
3)With swivel arm support heavy duty, mounts to riser pipe and swivel arm
4)Swivel arm mated to spray valve
5)The spray valve conforms to ANSI/ASTM F2324-03
6)Available with 12" (305mm) swing arm offering a full 360℃ rotation
7)6" (152mm) wall bracket included
8)Ideal for food service, commercial kitchens, restaurants and hotel applications







Pre-rinse Faucet

98011-M001

1)Wall-mounted type
2)37-7/8"(962mm) high
3)Mixing valve to adjusted hot and cold
4)With swivel arm support heavy duty, mounts to riser pipe and swivel arm
5)Heavy duty swivel arm mated to spray valve
6)Available with 12" (305mm) swing arm offering a full 360℃ rotation
7)The spray valve conforms to ANSI/ASTM F2324-03
8)6" (152mm) wall bracket included
9)The product includes check valve to prevent cross-flow
10)Ideal for food service, commercial kitchens, restaurants and hotel applications

PRE-RINSE UNIT



MINI Pre-rinse unit

98007MN-2

8"(203mm)Center Deck mounted type

98007MN-UK2


7"(180mm)Center Deck mounted type


98007MN-EU2

6"(152mm)Center Deck mounted type

2)Heavy duty construction
3)7"(180mm)riser
4)22"(560mm)flexible stainless steel hose,
5)spray valve
6)The product includes check valve to prevent cross-flow
7)Add-on faucet, Swing nozzle with 6"(152mm)length
8)The spray valve conforms to ANSI/ASTM F 2324-03
9)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)







MINI Pre-rinse unit

98001MN-2

1)Deck mounted type
2)Heavy duty construction
3)7"(180mm)riser
4)22"(560mm)flexible stainless steel hose,
5)Spray valve
6)The product includes check valve to prevent cross-flow
7)Add-on faucet, Swing nozzle with 6"(152mm)length
8)The spray valve conforms to ANSI/ASTM F2324-03
9)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)



MINI Pre-rinse unit

98007MN-1

8"(203mm)Center Deck mounted type

98007MN-UK1


7"(180mm)Center Deck mounted type


98007MN-EU1

6"(152mm)Center Deck mounted type

1)Heavy duty construction
2)7"(180mm)riser
3)22"(560mm)flexible stainless steel hose,
4)spray valve
5)The product includes check valve to prevent cross-flow
6)The spray valve conforms to ANSI/ASTM F 2324-03
7)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)







MINI Pre-rinse unit

98001MN-1

1)Deck mounted type
2) Heavy duty construction
3) 7"(180mm)riser
4) 22"(560mm)flexible stainless steel hose,
5) Spray valve
6)The product includes check valve to prevent cross-flow
7)The spray valve conforms to ANSI/ASTM F2324-03
8)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)





MINI Pre-rinse unit

98001MN-2C

1)Deck mounted type
2) Heavy duty construction
3) 7"(180mm)riser
4) 22"(560mm)flexible stainless steel hose,
5) Spray valve
6)The product includes check valve to prevent cross-flow
7)Add-on faucet, Swing nozzle with 6"(152mm)length
8)The spray valve conforms to ANSI/ASTM F2324-03
9)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)







MINI Pre-rinse unit

98007MN-2C

8"(203mm)Center Deck mounted type

98007MN-UK2C

7"(180mm)Center Deck mounted type

98007MN-EU2C

6"(152mm)Center Deck mounted type

1)Heavy duty construction
2)7"(180mm)riser
3)22"(560mm)flexible stainless steel hose,
4)spray valve
5)The product includes check valve to prevent cross-flow
6)Add-on faucet, Swing nozzle with 6"(152mm)length
7)The spray valve conforms to ANSI/ASTM F 2324-03
8)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)

PRE-RINSE UNIT




MINI Pre-rinse unit

98001MN-1C

1)Deck mounted type
2)Heavy duty construction
3)7"(180mm)riser
4)22"(560mm)flexible stainless steel hose,
5)Spray valve
6)The product includes check valve to prevent cross-flow
7)The spray valve conforms to ANSI/ASTM F2324-03
8)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)



Top-Rinse WATER INDUSTRY




Pre-rinse Faucet

98010AF-2

1)Wall-mounted type
2) Add on faucet with swing nozzle 12"(305mm)length
3)20"(510mm) riser
4)With foot pedal valve control pantry faucet
5)6" (152mm) wall bracket included
6)44"(1118mm) flexible stainless steel hose, SANTOPRENE inner pipe
7)The spray valve conforms to ANSI/ASTM F2324-03
8)Add-on faucet, Swing nozzle with 12" (305mm)length
9)The product includes check valve to prevent cross-flow
10)Ideal for food service, commercial kitchens, restaurants and hotel applications

FOOT VALVE Assembly,color-coded dual pedals,self closing valves,for use with spout bases.Two 1/2"NPSM female inlets and one 1/2" NPSM female outlets.Rough chrome valve body with polished chrome foot pedal.





MINI Pre-rinse unit

98007MN-1C

8"(203mm)Center Deck mounted type

98007MN-UK1C


7"(180mm)Center Deck mounted type


98007MN-EU1C


6"(152mm)Center Deck mounted type

1)Heavy duty construction
2)7"(180mm)riser
3)22"(560mm)flexible stainless steel hose,
4)spray valve
5)The product includes check valve to prevent cross-flow
6)The spray valve conforms to ANSI/ASTM F 2324-03
7)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)







Pre-rinse Faucet

98010AF-1

1)Wall-mounted type
2)20"(510mm) riser
3)6" (152mm) wall bracket included
4)With foot pedal valve control pantry faucet
5)44"(1118mm) flexible stainless steel hose, SANTOPRENE inner pipe
6)The spray valve conforms to ANSI/ASTM F2324-03
7)The product includes check valve to prevent cross-flow
8)Ideal for food service, commercial kitchens, restaurants and hotel applications

FOOT VALVE Assembly,color-coded dual pedals,self closing valves,for use with spout bases.Two 1/2"NPSM female inlets and one 1/2" NPSM female outlets.Rough chrome valve body with polished chrome foot pedal.

PRE-RINSE UNIT





Pre-rinse Faucet

98009AF-2

1)Deck-mounted type
2) Add on faucet with swing nozzle 12" (305mm)length
3)With foot pedal valve control pantry faucet
4)20"(510mm) riser
5)6" (152mm) wall bracket included
6)44"(1118mm) flexible stainless steel hose, SANTOPRENE inner pipe
7)The spray valve conforms to ANSI/ASTM F2324-03
8)Add-on faucet, Swing nozzle with 12"(305mm)length
9)The product includes check valve to prevent cross-flow
10)Ideal for food service, commercial kitchens, restaurants and hotel applications

FOOT VALVE Assembly,color-coded dual pedals,self closing valves,for use with spout bases.Two 1/2"NPSM female iniets and one 1/2" NPSM female outlets.Rough chrome valve body with pollshed chrome foot pedal.







Pre-rinse Faucet

98009AF-1

1)Deck-mounted type
2)Heavy duty construction
3)With foot pedal valve control pantry faucet
4)20"(510mm)riser
5)44"(1118mm)flexible stainless steel hose, SANTOPRENE inner pipe
6)6" (152mm) wall bracket included
7)The spray valve conforms to ANSI/ASTM F2324-03
8)Ideal For food service,commercial kitchens, Restaurants and hotel applications

FOOT VALVE Assembly,color-coded dual pedals,self closing valves,for use with spout bases.Two 1/2"NPSM female iniets and one 1/2" NPSM female outlets.Rough chrome valve body with pollshed chrome foot pedal.

PRE-RINSE UNIT





Pre-rinse Faucet

98009-MF001

1)Deck-mounted type
2)37-7/8"(962mm) high
3)With swivel arm support heavy duty, mounts to riser pipe and swivel arm
4)Swivel arm mated to spray valve
5)The spray valve conforms to ANSI/ASTM F2324-03
6)Available with 12" (305mm) swing arm offering a full 360Ў rotation
7)6" (152mm) wall bracket included
8)Ideal for food service, commercial kitchens, restaurants and hotel applications

FOOT VALVE Assembly,color-coded dual pedals,self closing valves,for use with spout bases.Two 1/2"NPSM female iniets and one 1/2" NPSM female outlets.Rough chrome valve body with polished chrome foot pedal.







Pre-rinse Faucet

98010-MF001

1)Wall-mounted type
2)37-7/8"(962mm) high
3)With swivel arm support heavy duty, mounts to riser pipe and swivel arm
4)Swivel arm mated to spray valve
5)The spray valve conforms to ANSI/ASTM F2324-03
6)Available with 12" (305mm) swing arm offering a full 360Ў rotation
7)6" (152mm) wall bracket included
8)Ideal for food service, commercial kitchens, restaurants and hotel applications

FOOT VALVE Assembly,color-coded dual pedals,self closing valves,for use with spout bases.Two 1/2"NPSM female iniets and one 1/2" NPSM female outlets.Rough chrome valve body with polished chrome foot pedal.


PRE-RINSE UNIT




Pre-rinse Faucet

98008M-M001

1)Deck-mounted type
2)37-7/8"(962mm) high
3)Mixing valve to adjusted hot and cold
4)With swivel arm support heavy duty, mounts to riser pipe and swivel arm
5)Heavy duty swivel arm mated to spray valve
6)Available with 12" (305mm) swing arm offering a full 360Ў rotation
7)The spray valve conforms to ANSI/ASTM F2324-03
8)6" (152mm) wall bracket included
9)The product includes check valve to prevent cross-flow
10)Ideal for food service, commercial kitchens, restaurants and hotel applications









Pre-rinse Faucet

98008M-2

1)Deck-mounted type
2)Add on faucet with swing nozzle 12"(305mm)length
3)20"(510mm) riser
4)6"(152mm) wall bracket included
5)44"(1118mm) flexible stainless steel hose,
6)The spray valve conforms to ANSI/ASTM F2324-03
7)The product includes check valve to prevent cross-flow
8)Ideal for food service, commercial kitchens, restaurants and hotel applications

PRE-RINSE UNIT






MIXING VALVE
Temperature Pre-regulating Valve


Pre-rinse Faucet

98008M-1

1)Deck-mounted type
2)Base faucet connect with mixing valve
3)20"(510mm) riser
4)6"(152mm)wall bracket included
5)44"(1118mm) flexible stainless steel hose,
6)The spray valve conforms to ANSI/ASTM F2324-03
7)The product includes check valve to prevent cross-flow
8)Ideal for food service, commercial kitchens, restaurants and hotel applications

1/2"NPSM male inlet Plastic-conditioning
The product includes check valve to prevent cross-flow







Rinse Kitchen Faucet

98005-1

One hole single handle High-handed rinse kitchen faucet
Stainless steel flexible hose
For food service, commercial kitchens Restaurants and hotel applications


PRE-RINSE UNIT



Rinse Kitchen Faucet

98005-2

One hole single handle
Add-on faucet with swing nozzle
12"(304mm)length
High-handed rinse kitchen faucet
Stainless steel flexible hose
For food service, commercial kitchens
Restaurants and hotel applications







Pre-rinse Faucet

87000-1

1)Wall-mounted standard duty type
2)8"(203mm)center
3)15,7"(400mm) riser
4)6" (152mm) wall bracket included
5)44"(1118mm) flexible stainless steel hose
6)The spray valve conforms to ANSI/ASTM F2324-03
7)The product includes check valve to prevent cross-flow
8)Ideal for food service, commercial kitchens, restaurants and hotel applications








Pre-rinse Faucet

86000-1

1)Deck-mounted type
2)15,7"(400mm) riser
3)6" (152mm) wall bracket included
4)44"(1118mm) flexible stainless steel hose
5)The spray valve conforms to ANSI/ASTM F2324-03
6)The product includes check valve to prevent cross-flow
7)Ideal for food service, commercial kitchens, restaurants and hotel applications





Pre-rinse Faucet

88000-1

1)Deck-mounted standard duty type
2)8"(203mm)center
3)15,7"(400mm) riser
4)6" (152mm) wall bracket included
5)44"(1118mm) flexible stainless steel hose
6)The spray valve conforms to ANSI/ASTM F2324-03
7)The product includes check valve to prevent cross-flow
8)Ideal for food service, commercial kitchens, restaurants and hotel applications

PRE-RINSE UNIT





MINI Pre-rinse unit

98000MN-A

1)Heavy duty construction
2)7"(180mm)riser
3)22"(560mm)flexible stainless steel hose,
4)spray valve
5)Add-on faucet, Swing nozzle with 6"(152mm)length
6)The spray valve conforms to ANSI/ASTM F 2324-03
7)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)







MINI Pre-rinse unit

98000MN-AC

1)Heavy duty construction
2)7"(180mm)riser
3)22"(560mm)flexible stainless steel hose,
4)spray valve
5)Add-on faucet, Swing nozzle with 6"(152mm)length
6)The spray valve conforms to ANSI/ASTM F 2324-03
7)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)





Pre-rinse unit

98000

1) Heavy duty construction
2) 20"(510mm)riser
3) 44"(1118mm)flexible stainless steel hose,
4) Spray valve
5) 6"(152)or 12"(305mm)Wall bracket
6)The spray valve conforms to ANSI/ASTM F2324-03
7)Ideal For food service,commercial kitchens, restaurants and hotel applications

(Hose & Spray valve can interchange with T&S)







Add-on faucet

98-A

1)Adds swing nozzle to pre-rinse units
2)12"(305mm)length nozzle
3)Includes 3"(76mm)nipple for installation on existing base faucets



98007-HP98-U1

98007-HP98-U2

8"(203mm) Center Deck Mounted Pre-rinse Faucet

1.Compression rod, the water will come out when it pull down
2.with 1/2" inlet fittings
3.The inlet with the check valve to prevent the cross-flow
4.with 6"(152mm) wall bracket
5.Add on faucet, 12"(305MM)Swing Nozzle
Add on faucet swing nozzle length can choose different size as below:
Swing Nozzle Code:
006S 6"(152mm) swing nozzle
008S 8"(203mm) swing nozzle



98006-HP98-U1



98006-HP98-U2

4"(102mm) Center Deck Mounted Pre-rinse Faucet

1.Compression rod, the water will come out when it pull down
2.with 1/2" inlet fittings
3.The inlet with the check valve to prevent the cross-flow
4.with 6"(152mm) wall bracket
5.Add on faucet, 12"(305MM)Swing Nozzle
Add on faucet swing nozzle length can choose different size as below:
Swing Nozzle Code:
006S 6"(152mm) swing nozzle
008S 8"(203mm) swing nozzle





98002-HP98-U1

98002-HP98-U2

8"(203mm) Center Wall Mounted Pre-rinse Faucet

1.Compression rod, the water will come out when it pull down
2.with 1/2" inlet fittings
3.The inlet with the check valve to prevent the cross-flow
4.with 6"(152mm) wall bracket
5.Add on faucet, 12"(305MM)Swing Nozzle
Add on faucet swing nozzle length can choose different size as below:
Swing Nozzle Code:
006S 6"(152mm) swing nozzle
008S 8"(203mm) swing nozzle



98001-HP98-U1

98001-HP98-U2

Single Hole Double lever Deck Mounted Pre-rinse Faucet

1.Compression rod, the water will come out when it pull down
2.with 1/2" *500mm inlet flexible hose
3.The inlet with the check valve to prevent the cross-flow
4.with 6"(152mm) wall bracket
5.Add on faucet, 12"(305MM)Swing Nozzle
Add on faucet swing nozzle length can choose different size as below:
Swing Nozzle Code:
006S 6"(152mm) swing nozzle
008S 8"(203mm) swing nozzle



HP98-U1

HP98-U2

Pre-rinse Pull-down Shower Faucet (USA MARKET)

1.Compression rod, the water will come out when it pull down
2.with 6"(152mm) wall bracket
3.Add on faucet, 12"(305MM)Swing Nozzle

Add on faucet swing nozzle length can choose different size as below:
Swing Nozzle Code:
006S 6"(152mm) swing nozzle
008S 8"(203mm) swing nozzle



HP98-ES1

HP98-ES2

Pre-rinse Pull-down Shower Faucet (EUROPEAN MARKET)

1.Compression rod, the water will come out when it pull down
2.with 6"(152mm) wall bracket
3.Add on faucet, 12"(305MM)Swing Nozzle
Add on faucet swing nozzle length can choose different size as below:
Swing Nozzle Code:
006S 6"(152mm) swing nozzle
008S 8"(203mm) swing nozzle



70102A-HP98-SE1

70102A-HP98-SE2

Single Hole Single lever Deck Mounted Pre-rinse Faucet

1.Compression rod, the water will come out when it pull down
2.with 1/2" *500mm inlet flexible hose
3.The inlet with the check valve to prevent the cross-flow
4.with 6"(152mm) wall bracket
5.Add on faucet, 12"(305MM)Swing Nozzle
Add on faucet swing nozzle length can choose different size as below:
Swing Nozzle Code:
006S 6"(152mm) swing nozzle
008S 8"(203mm) swing nozzle



50102A-HP98-ES1

50102A-HP98-ES2

8"(203mm) Center Deck Mounted Pre-rinse Faucet

1.Compression rod, the water will come out when it pull down
2.with 1/2" inlet fittings
3.The inlet with the check valve to prevent the cross-flow
4.with 6"(152mm) wall bracket
5.Add on faucet, 12"(305MM)Swing Nozzle
Add on faucet swing nozzle length can choose different size as below:
Swing Nozzle Code:
006S 6"(152mm) swing nozzle
008S 8"(203mm) swing nozzle

Top-Rinse®
WATER INDUSTRY

PRE-RINSE UNIT



98-H44

Staninless Steel Hose

98-H44"Flexible staninless steel hose



HS098-01

M10X1XG1/2"X50CM



98-SP

Coil Spring



98-PP

Riser Pipe L-20"(510mm)



98-WB

Wall Bracket

L:6"/12"



98-SB



98-V

Spring check spindle Assembly Replacement Kit



98-HD

Lever handle repair kit



98-HTF

Spray valve repair kit




98-SV

Self Closing Cartridge



98-ASWV

UniversalJoint



M0098SV-065G

spray valve 0.65gpm@60psi



M0098SV-124G

spray valve 1.24gpm@60psi



M0098SV1-124G

spray valve 1.24gpm@60psi



M-098-SV

Spray Valve



98-SVH

Sprave Valve's Handle



M-H098-SV

Spray Valve



M-HO98QC-SV

Spray Valve
Quick-Connect



0098-03

U-INLETS

1)1/4"NPT tailpieces
2)4"(102mm)Centers



00098-30

Elbow & Nipple

1/2"NPT*1/2"NPSM
L:2"(50mm)



00098-10

Nipple

1/2"NPSM
L:2"(50mm)



00098-20


Elbow

1/2"NPT*1/2"NPT

Top-Rinse®
WATER INDUSTRY

- **SWING NOZZLE FAUCETS**
- **SWING GOOSENECK FAUCETS**
- **DOUBLE-JOINT FAUCETS**
- **SWING NOZZLE & GOOSENECK FAUCET WITH CROSS HANDLE**
- **WRIST ACTION HANDLE FAUCETS**
- **RANGE FAUCETS AND SERVICE FACETS**
- **BIG-FLO FAUCETS**







Double pantry faucet

9814-12

8"(203mm)centers

9814UK-12

7"(180mm)centers


1)Wall-mounted pantry faucet
2)Swing nozzle with 12"(305mm)length
3)G1/2" eccentrice flanged female inlets
4)The product includes check valve to prevent cross-flow




Single pantry faucet

9817-12

1)Wall-mounted pantry faucet
2)Swing nozzle with 12"(305mm)length
3)Lever handle(specify cold or hot)
4)G1/2" male shank
5)1/4"NPT union type tailpiece
6)The product includes check valve to prevent cross-flow







9813-12

8"(203mm)centers

9813UK-12

7"(180mm)centers

9813EU-12

6"(152mm)centers

Double pantry faucet


1)Deck-mounted pantry faucet
2)Swing nozzle with 12"(305mm)length
3)G1/2" eccentrice flanged female inlets
4)The product includes check valve to prevent cross-flow




9815-12

Double pantry faucet

1)Deck-mounted pantry faucet
2)4"(102mm)centers
3)Swing nozzle with 12"(305mm)length
4)G1/2" eccentrice flanged female inlets
5)The product includes check valve to prevent cross-flow





9810-12

Double workboard faucet




1)Deck-mounted pantry faucet
2)Removable seats
3)8"(203mm)centers
4)Swing nozzle with 12"(305mm) length
5)Chrome plated escutcheon,10-1/2"
(267mm)*2"(51mm)wide
6)G1/2" male inlets
7)The product includes check valve to
prevent cross-flow




9800-12

Double workboard faucet

1)Deck-mounted pantry faucet
2)Removable seats
3)4"(102mm)centers
4)Swing nozzle with 12"(305mm) length
5)Chrome plated escutcheon,6-1/2"
(165mm)*2"(51mm)wide
6)G1/2" male inlets
7)The product includes check valve to
prevent cross-flow



SWING NOZZLE FAUCETS





9823-12

SinglePantryFaucet


1.Wall-mountedpantryfaucet
2.Swingnozzlewith12"(305mm)length
3.Leverhandle□ specifycoldorhot□
4.G1/2"maleshank
5.Theproductincludescheck valvetopreventcross-flow




9816-12

Double pantry faucet

1)Deck-mounted pantry faucet
2)Single hole
3)Swing nozzle with 12"(305mm)length
4)G1/2" female inlets
5)The product includes check valve to prevent cross-flow







9812-12

Single pantry faucet

1)Deck-mounted pantry faucet
2)Swing nozzle with 12"(305mm)length
3)Lever handle(specify cold or hot)
4)G1/2" male shank
5)The product includes check valve to prevent cross-flow


SWING NOZZLE FAUCETS




9812-12-AH

Single Lever Faucet

1)Deck-mounted single lever side mount base faucet
2)12"(305mm)Swivel nozzle
3)G1/2" eccentric flanged female inlets
4)The product includes check valve to prevent cross-flow







9811-12

Double Workboard faucet


1)Wall-mounted pantry faucet
2)8"(203mm)centers
3)Swing nozzle with 12"(305mm)length
4)G1/2" eccentrice male inlets
5)Chrome plated escutcheon, 10-1/2"(267mm)*2"(51mm)wide
6)The product includes check valve to prevent cross-flow




9801-12

Double Workboard faucet

1)Wall-mounted pantry faucet
2)4"(102mm)centers
3)Swing nozzle with 12"(305mm)length
4)G1/2" eccentrice male inlets
5)Chrome plated escutcheon, 6-1/2"(165mm)*2"(51mm)wide
6)The product includes check valve to prevent cross-flow







8700-12

Kitchen Faucet


1)Wall-mounted pantry faucet
2)8"(203mm)centers
3)Swing nozzlewith 12"(305mm)length
4)G1/2" eccentrice flanged female inlets



8800-12

Deck-mounted Faucet

1)Deck-mounted pantry faucet
2)8"(203mm)centers
3)Swing nozzlewith 12"(305mm)length
4)G1/2" eccentrice flanged female inlets







9809-12

Deck-mounted Faucet

1)Single Base Faucet
2)With swing nozzle 12"(305mm)length








YB-8707

WOK FAUCET

size: ⍉16xL-355mm(14")
⍉16xL-305mm(12")
⍉16xL-254mm(10")





9808-12

Wall-mounted Faucet


1)With swing nozzle 12"(305mm)length



YB-8706

WOK FAUCET

size: 10xL-265mm




SWING NOZZLE FAUCETS




98318
8"(203mm)centers
98318UK
7"(180mm)centers
98318EU
6"(152mm)centers

Deck faucet with elevated swing nozzle

1)18"(457mm) swing nozzle
2)swivels from top
3)3/8"NPT 18"riser
4)25-1/4"(641 mm)from tip of nozzle to deck
5)lever handles
6base faucet with 8"(203mm)centers
7)G1/2" eccentric flanged female inlets







98218

Deck faucet with elevated swing nozzle

1)18"(457mm)swing nozzle
2)swivels from top
3)3/8"NPT 18"riser
4)25-1/4"(641 mm)from tip of nozzle to deck
5)lever handles
6)base faucet with 8"(203mm)centers
7)G1/2" eccentric flanged female inlets

SWING NOZZLE FAUCETS





98118

Double pantry faucet with elevated swing mozzle

1)18"(457mm)swingmozzle
2)Swivels from top
3)3/8"NPT 18"riser
4)26-3/4" (679mm)from tip of nozzle to deck
5)Lever handles
6)1-1/8"(29mm)diameter shank
7)G1/2" male inlet threads
8)deck mounted base faucet

98112
12"(305 mm)swing nozzle
25-1/4"(641 mm)from tip
of nozzle to abolve deck







98418

Single pantry faucet with elevated swing nozzle

1)18"(457mm) swing nozzle
2)Swivels from top
3)3/8"NPT 18"riser
4)27-1/4"(692mm)from tip of nozzle to deck
5)lever handle
6)G1/2" single shank

98412
12"(305mm)swing nozzle
25-34"(654mm)from tip of nozzle to above deck
98406
6"(152mm)swing nozzle
24-12"(622mm)from tip of nozzle to above deck





98506

Deck mounted elevated nozzle unit

1)deck mounted base
2)6"(152mm)swing nozzle
3)3/8"NPT 18" riser
4)21"(533mm)clearance deck to outlet

98512
12"(305mm)nozzle
22-3/4"(578mm)clearance
deck to outlet





9814-P3

8"(203mm)centers

9814UK-P3

7"(180mm)centers

Double pantry faucet

1)Wall-mounted pantry faucet
2)Swivel gooseneck with P3
3)G1/2" eccentric flanged female inlets
4)The product includes check valve to prevent cross-flowPipe Sizes: P3=5-11/16"(145mm)*10-3/8" (264mm)*6-3/8"(162mm)







9817-P3

Single pantry faucet

1)Wall-mounted pantry faucet
2)Swivel gooseneck with P3
3)Lever handle(specify cold or hot)
4)G1/2" male shank
5)1/4"NPT union type tailpiece
6)The product includes check valve to prevent cross-flowPipe Sizes: P3=5-11/16"(145mm)*10-3/8" (264mm)*6-3/8"(162mm)







9816-P3

Double pantry faucet


1)Deck-mounted pantry faucet
2)Swivel gooseneck with P3
3)G1/2" flanged female inlets
4)The product includes check valve to prevent cross-flowPipe Sizes: P3=5-11/16"(145mm)*10-3/8" (264mm)*6-3/8"(162mm)




9812-P3

Single pantry faucet

1)Deck-mounted pantry faucet
2)Swivel gooseneck with P3
3)Lever handle(specify cold or hot)
4)G1/2" male shank
5)The product includes check valve to prevent cross-flowPipe Sizes: P3=5-11/16"(145mm)*10-3/8" (264mm)*6-3/8"(162mm)





9810-P3

Double workboard faucet

1)Deck-mounted pantry faucet
2)8"(203mm)centers
3)Swivel gooseneck with P3
4)G1/2" male inlets
5)Chrome plated escutcheon, 10-1/2"(267mm)*2"(51mm)wide
6)The product includes check valve to prevent cross-flowPipe Sizes: P3=5-11/16"(145mm)*10-3/8" (264mm)*6-3/8"(162mm)







9800-P3

Double workboard faucet

1)Deck-mounted pantry faucet
2)4"(102mm)centers
3)Swivel gooseneck with P3
4)G1/2" male inlets
5)Chrome plated escutcheon, 6-1/2"(165mm)*2"(51mm)wide
6)The product includes check valve to prevent cross-flowPipe Sizes: P3=5-11/16"(145mm)*10-3/8" (264mm)*6-3/8"(162mm)







9813-P3

8"(203mm)centers

9813UK-P3

7"(180mm)centers

9813EU-P3

6"(152mm)centers

Double pantry faucet


1)Deck-mounted pantry faucet
2)Swivel gooseneck with P3
3)G1/2" eccentric flanged female inlets
4)The product includes check valve to prevent cross-flowPipe Sizes: P3=5-11/16"(145mm)*10-3/8" (264mm)*6-3/8"(162mm)




9815-P3

Double pantry faucet

1)Deck-mounted pantry faucet
2)4"(102mm)centers
3)Swivel gooseneck with P3
4)G1/2" eccentric flanged female inlets
5)The product includes check valve to prevent cross-flowPipe Sizes: P3=5-11/16"(145mm)*10-3/8" (264mm)*6-3/8"(162mm)







9801-P3

Double workboard faucet

1)Wall-mounted pantry faucet
2)4"(102mm)centers
3)Swivel gooseneck with P3
4)G1/2" eccentric male inlets
5)Chrome plated escutcheon, 6-1/2"(165mm)*2"(51mm)wide
6)The product includes check valve to prevent cross-flow Pipe Sizes: P3=5-11/16"(145mm)*10-3/8" (264mm)*6-3/8"(162mm)


SWING NOZZLE FAUCETS




9811-P3

Double workboard faucet

1)Wall-mounted pantry faucet
2)8"(203mm)centers
3)Swivel gooseneck with P3
4)G1/2" eccentric male inlets
5)Chrome plated escutcheon, 10-1/2"(267mm)*2"(51mm)wide
6)The product includes check valve to prevent cross-flow Pipe Sizes: P3=5-11/16"(145mm)*10-3/8" (264mm)*6-3/8"(162mm)







9808-P3

Single Lever Faucet


1)Wall-mounted single lever side mount base faucet
2)Swivel gooseneck with P3
3)G1/2" eccentric flanged female inlets
4)The product includes check valve to prevent cross-flow
5)P3=5-11/16"(145mm)*10-3/8" (264mm)*6-3/8"(162mm)




9809-P3

Single Hole Faucet

1)With swivel gooseneck P3
2)P3=5-11/16"(145mm)*10-3/8" (264mm)*6-3/8"(162mm)








9823-P3

Single Pantry Faucet

1.Wall-mountedpantryfaucet
2.SwivelgooseneckwithP3
3.Leverhandle□ specifycoldorhot□
4.G1/2"maleshank
5.Theproductincludescheck valvetopreventcross-flow



9814-009DJ

8"(203mm)center

9814UK-009DJ

7"(180mm)center

Double-joint Faucet

1)Wall-mounted pantry faucet
2)With double-joint nozzle
3)G1/2" eccentric flanged female inlets
4)The product includes check valve
to prevent cross-flow
5)Double-joint nozzle:
Back 12"(305mm) * Front 12"
(305mm) Total 24"(610mm)







9817-009DJ

Double-joint Faucet

1)Wall-mounted pantry faucet
2)With double-joint nozzle
3)Lever handle(specify cold or hot)
4)G1/2" male shank
5)The product includes check valve
to prevent cross-flow
6)Double-joint nozzle:
Back 12"(305mm) * Front 12"
(305mm) Total 24"(610mm)







9813-009DJ

8"(203mm)center

9813UK-009DJ

7"(180mm)center

9813EU-009DJ

6"(152mm)center

Double-joint Faucet


1)Deck-mixing faucet
2)With double-joint nozzle
3)G1/2" eccentric flanged female inlets
4)The product includes check valve
to prevent cross-flow
7)Double-joint nozzle:
Back 12"(305mm) * Front 12"
(305mm) Total 24"(610mm)




9815-009DJ

Double-joint Faucet

1)Deck-mixing faucet
2)With double-joint nozzle
3)4"(102mm)center
4)G1/2" eccentric flanged female inlets
5)The product includes check valve
to prevent cross-flow
6)Double-joint nozzle:
Back 12"(305mm) * Front 12"
(305mm) Total 24"(610mm)







9816-009DJ

Double-joint Faucet


1)Deck-mounted pantry faucet
2)With double-joint nozzle
3)G1/2" female inlets
4)The product includes check valve
to prevent cross-flow
5)Double-joint nozzle:
Back 12"(305mm) * Front 12"
(305mm) Total 24"(610mm)




9812-009DJ

Double-joint Faucet

1)Deck-mounted single pantry faucet
2)With double-joint nozzle
3)G1/2" male inlets
4)The product includes check valve
to prevent cross-flow
5)Double-joint nozzle:
Back 12"(305mm) * Front 12"
(305mm) Total 24"(610mm)







9811-009DJ

Double-joint Faucet


1)Wall-mounted pantry faucet
2)With double-joint nozzle
3)Removable seats
4)8"(203mm)center
5)G1/2" male inlets
6)Chrome plated escutcheon 10-1/2"
(165mm)*2(51mm)wide
7)The product includes check valve
to prevent cross-flow
8)Double-joint nozzle:
Back 12"(305mm) * Front 12"
(305mm) Total 24"(610mm)




9801-009DJ

Double-joint Faucet

1)Wall-mounted pantry faucet
2)With double-joint nozzle
3)Removable seats
4)4"(102mm)center
5)G1/2" male inlets
6)Chrome plated escutcheon 6-1/2"
(165mm)*2(51mm)wide
7)The product includes check valve
to prevent cross-flow
8)Double-joint nozzle:
Back 12"(305mm) * Front 12"
(305mm) Total 24"(610mm)







9800-009DJ

Double-joint Faucet


1)Deck-mounted pantry faucet
2)With double-joint nozzle
3)Removable seats
4)4"(102mm)center
5)G1/2" male inlets
6)Chrome plated escutcheon 6-1/2"
(165mm)*2(51mm)wide
7)The product includes check valve
to prevent cross-flow
8)Double-joint nozzle:
Back 12"(305mm) * Front 12"
(305mm) Total 24"(610mm)



9810-009DJ

Double-joint Faucet


1)Deck-mounted pantry faucet
2)With double-joint nozzle
3)Removable seats
4)8"(203mm)center
5)G1/2" male inlets
6)Chrome plated escutcheon 10-1/2"
(267mm)*2(51mm)wide
7)The product includes check valve
to prevent cross-flow
8)Double-joint nozzle:
Back 12"(305mm) * Front 12"
(305mm) Total 24"(610mm)




DOUBLE-JOINT NOZZLES

STANDARD SIZES:

MODEL	BACK	FRONT	TOTAL
006DJ	6"(152mm)	6"(152mm)	12"(305mm)
007DJ	9"(229mm)	6"(152mm)	15"(381mm)
008DJ	12"(305mm)	6"(152mm)	18"(457mm)
009DJ	12"(305mm)	12"(305mm)	24"(610mm)



SWING NOZZLE & GOOSENECK FAUCET WITH CROSS HANDLE





9818-12

8"(203mm)centers

9818UK-12

7"(180mm)centers

9818EU-12

6"(152mm)centers

Double pantry faucet

1)Deck-mounted pantry faucet
2)Swing nozzle with 12" (305mm)length
3)1/2" NPT eccentrice flanged female inlets
4)The product includes check valve to prevent cross-flow



9818-P3

8"(203mm)centers

9818UK-P3


7"(180mm)centers


9818EU-P3

6"(152mm)centers

Double pantry faucet

1) Deck-mounted pantry faucet
2)Swivel gooseneck with P3
3)G1/2" eccentrice flanged female inlets
4)The product includes check valve to prevent cross-flow
Pipe sizes:
P3=5-11/16"(145mm)*10-3/8"(264mm)*6-3/8Ў(162mm)







D9819-12

8"(203mm)centers

D9819UK-12

7"(180mm)centers

Double pantry faucet

1)Deck-mounted pantry faucet
2)Swing nozzle with 12"(305mm)length
3)G1/2" eccentrice flanged female inlets
4)The product includes check valve to prevent cross-flow

SWING NOZZLE & GOOSENECK FAUCET WITH CROSS HANDLE



D9819-P3


8"(203mm)centers,for American market


D9819UK-P3

7"(180mm)centers,for UK market

Double pantry faucet

1) Deck-mounted pantry faucet
2)Swivel gooseneck with P3
3)G1/2" eccentrice flanged female inlets
4)The product includes check valve to prevent cross-flow
Pipe sizes:
P3=5-11/16"(145mm)*10-3/8"(264mm)*6-3/8Ў(162mm)
5)The product includes check valve to prevent cross-flow







9819-12

8"(203mm)centers,for American market

9819UK-12

7"(180mm)centers,for UK market

Double pantry faucet

1)Wall-mounted pantry faucet
2)Swing nozzle with 12"(305mm)length
3)G1/2" eccentrice flanged female inlets
4)The product includes check valve to prevent cross-flow



9819-P3


8"(203mm)centers,for American market

9819UK-P3


7"(180mm)centers,for UK market

Double pantry faucet

1) Wall-mounted pantry faucet
2)Swivel gooseneck with P3
3)G1/2" eccentrice flanged female inlets
4)The product includes check valve to prevent cross-flow
Pipe sizes:
P3=5-11/16"(145mm)*10-3/8"(264mm)*6-3/8"(162mm)



SWING NOZZLE & GOOSENECK FAUCET WITH CROSS HANDLE





9820-P3

Single pantry faucet


1) Deck-mounted pantry faucet
2) Swivel gooseneck with P3
3) Cross handle(specify cold or not)4)G1/2" flanged female inlets
4) The product includes check valve to prevent cross-flow
Pipe sizes:
P3=5-11/16"(145mm)*10-3/8Ў(264mm)*6-3/8Ў(162mm)




9822-P3

Double pantry faucet

1) Deck-mounted pantry faucet
2) Swivel gooseneck with P3
3)G1/2" flanged female inlets
4) The product includes check valve to prevent cross-flow
Pipe sizes:
P3=5-11/16"(145mm)*10-3/8"(264mm)*6-3/8"(162mm)





9821-P3

Single pantry faucet

1)Wall-mounted pantry faucet
2) Swivel gooseneck with P3
3)Cross handle(specify cold or not)4) G1/2" male shank
4)The product includes check valve to prevent cross-flow
Pipe sizes:
P3=5-11/16"(145mm)*10-3/8" (264mm)*6-3/8"(162mm)




SWING NOZZLE & GOOSENECK FAUCET WITH CROSS HANDLE




9821-12

Single pantry faucet

1)Wall-mounted pantry faucet
2) Swing nozzle with 12"(305mm)length
3)Cross handle(specify cold or not)4)G1/2" male shank
4)The product includes check valve to prevent cross-flow








9820-12

Single pantry faucet


1)Deck-mounted pantry faucet
2)Swing nozzle with 12"(305mm)length
3)Cross handle(specify cold or not)4)G1/2" flanged female inlets
4)The product includes check valve to prevent cross-flow




9822-12

Double pantry faucet

1)Deck-mounted pantry faucet
2) Swing nozzle with 12"(305mm)length
3)G1/2" flanged female inlets
4)The product includes check valve to prevent cross-flow







9807-P3

Double Workboard Faucet


1)Deck-mounted pantry faucet
2)Wrist action handle
3)Removable seats
4)4"(102mm)centers
5)Chrome plated escutcheon, 6-1/2"(165mm)*2"(51mm)wide
6)G1/2" male inlets
7)The product includes check valve to prevent cross-flow




9804-P3

Double Workboard Faucet

1)Deck-mounted pantry faucet
2)Wrist action handle
3)Removable seats
4)8"(203mm)centers
5)Chrome plated escutcheon, 10-1/2"(267mm)*2"(51mm)wide
6)G1/2" male inlets
7)The product includes check valve to prevent cross-flow







9802-P3

Swivel Base Faucet

1)Wall-mounted pantry faucet
2)Wrist action handle
3)8"(203mm)centers
4)G1/2" eccentric flanged female inlets
5)The product includes check valve to prevent cross-flow

Top-Rinse® WATER INDUSTRY


WRIST ACTION HANDLE FAUCETS




9806-P3

Swivel Base Faucet

1)Deck-mounted pantry faucet
2)Wrist action handle
3)Single hole
4)G1/2" female inlets
5)The product includes check valve to prevent cross-flow







9805-P3

Deck Mixing Faucet


1)Deck mounted mixing faucet
2)Wrist action handle
3)4"(102mm)Centers
4)1/2"NPT eccentric flanged female inlets
5)The product includes check valve to prevent cross-flow




9803-P3

Deck Mixing Faucet

1)Deck-mounted pantry faucet
2)Wrist action handle
3)8"(203mm)centers
4)G1/2" eccentric flanged female inlets
5)The product includes check valve to prevent cross-flow







9817-008VDJ

Double-joint Faucet


1)Wall-mounted pantry faucet
2)With double-joint nozzle
3)Lever handle(specify cold or hot)
4)G1/2" male shank
5)Double-joint nozzle with volume control grip on tip of nozzle
6)The product includes check valve to prevent cross-flow
7)Double-joint nozzle:
Back 12"(305mm) * Front 6"(152mm)
Total 18"(457mm)





9808-008VDJ

Double-joint Faucet

1)Wall-mounted pantry faucet
2)With double-joint nozzle
3)G1/2" male shank
4)Double-joint nozzle with volume control grip on tip of nozzle
5)Double-joint nozzle:
Back 12"(305mm) * Front 6"(152mm)
Total 18"(457mm)







9812-008VDJ

Double-joint Faucet


1)Deck-mounted single pantry faucet
2)With double-joint nozzle
3)G1/2" male inlets
4)Double-joint nozzle with volume control grip on tip of nozzle
5)The product includes check valve to prevent cross-flow
6)Double-joint nozzle:
Back 12"(305mm) * Front 6"(152mm)
Total 18"(457mm)




9814-008VDJ

Double-joint Faucet

1)Wall-mounted pantry faucet
2)With double-joint nozzle
3)8"(203mm)center
4)Double-joint nozzle with volume control grip on tip of nozzle
5)The product includes check valve to prevent cross-flow
6)Double-joint nozzle:
Back 12"(305mm) * Front 6"(152mm)
Total 18"(457mm)



RANGE FAUCETS AND SERVICE FACETS



A980

SERVICE SINK FAUCET

1)Rough chrome plated brass
2)Wall Mount Faucet,8"(203mm)Adjustable Centers
3)Bulit-In Supply Stops
4)Commercial Compression Valves
5)Cross Handles
6)Atmospheric Vacuum Breaker
7)Heavy Cast Spout w/ Pail Hook
8)Standard 3/4"Garden Hose Thread Outlet
9)Support Bracke





B980

SERVICE SINK FAUCET

1)Built in screwdriver stops
2)8" (203mm) centers
3)2-3/8" (60mm) clearance from wall to center of faucet
3)8-7/8" (225mm) from wall to center of outlet
4) Polished chrome plated finish
5)Vacuum breaker nozzle with 3/4" garden hose thread and pail hook
6)Top support wall brace
7)The product includes check valve to prevent cross-flow







C980


SERVICE SINK FAUCET



D980

SERVICE SINK FAUCET





BASE PANTRY FAUCETS

Top-Rinse WATER INDUSTRY

These base faucets are equipped with spring check spindle assemblies.

Http://www.pre-rinse.com
Email:info@pre-rinse.com
Email:young@pre-rinse.com
Tel:+86-576-87121119
Tel:+86-576-87121420
Fax:+86-576-87121319



9814

BASE FAUCET

1)Wall-mounted pantry faucet
2)Lever handles
3)8"(203mm)centers
4)1/2"NPT eccentric flanged female inlets
5)The product includes check valve to prevent cross-flow



9813

DECK MIXING FAUCET

1)Deck-mounted pantry faucet
2)Lever handles
3)8"(203mm)centers
4)1/2"NPT eccentric flanged female inlets
5)The product includes check valve to prevent cross-flow



9815

DECK MIXING FAUCET

1)Deck mounted mixing faucet
2)Lever handles
3)4"(102mm)Centers
4)1/2"NPT eccentric flanged female inlets
5)The product includes check valve to prevent cross-flow



9816

SWIVEL BASE FAUCET

1)Deck-mounted pantry faucet
2)Lever handles
3)Single hole
4)G1/2" female inlets
5)The product includes check valve to prevent cross-flow



9812

SWIVEL BASE FAUCET

1)Deck-mounted pantry faucet
2)Lever handle(specify cold or hot)
3)G1/2" male shank
4)The product includes check valve to prevent cross-flow



9817

SWIVEL BASE FAUCET

1)Wall-mounted pantry faucet
2)Lever handle(specify cold or hot)
3)G1/2" male shank
4)The product includes check valve to prevent cross-flow

NOZZLES SWING NOZZLE	MODEL	L/SIZES	MODEL	MODEL		MODEL	MODEL	MODEL	MODEL
	006S	6"(152mm)	9814-06	9813-06		9815-06	9816-06	9812-06	9817-06
	008S	8"(203mm)	9814-08	9813-08		9815-08	9816-08	9812-08	9817-08
	010S	10"(254mm)	9814-10	9813-10		9815-10	9816-10	9812-10	9817-10
	012S	12"(305mm)	9814-12	9813-12		9815-12	9816-12	9812-12	9817-12
	014S	14"(356mm)	9814-14	9813-14		9815-14	9816-14	9812-14	9817-14
	016S	16"(406mm)	9814-16	9813-16		9815-16	9816-16	9812-16	9817-16
	018S	18"(457mm)	9814-18	9813-18		9815-18	9816-18	9812-18	9817-18
GOOSENECK NOZZLES	**MODEL**	**SPREAD**	**MODEL**	**MODEL**		**MODEL**	**MODEL**	**MODEL**	**MODEL**
	P-0133	5-11/16"(145mm)	9814-P3	9813-P3		9815-P3	9816-P3	9812-P3	9817-P3
	P-0134	7-3/4"(192mm)	9814-P4	9813-P4		9815-P4	9816-P4	9812-P4	9817-P4
	P-0135	8-3/4"(223mm)	9814-P5	9813-P5		9815-P5	9816-P5	9812-P5	9817-P5





WORKBOARD/BAR
SINK FAUCETS

Top-Rinse WATER INDUSTRY

These base faucets are equipped with spring check spindle assemblies.

Http://www.pre-rinse.com
Email:info@pre-rinse.com
Email:young@pre-rinse.com

Tel:+86-576-87121119
Tel:+86-576-87121420
Fax:+86-576-87121319



9808
WALL-MOUNTED BASE FAUCET



9809
DECK-MOUNTED BASE FAUCET



9810
DOUBLE WORKBOARD FAUCET
1)Deck-mounted pantry faucet
2)Removable seats
3)8"(203mm)centers
4)Chrome plated escutcheon, 10-1/2"(267mm)*2"(51mm)wide
5)G1/2" male inlets
6)The product includes check valve to prevent cross-flow



9800
DOUBLE WORKBOARD FAUCET
1)Deck-mounted pantry faucet
2)Removable seats
3)4"(102mm)centers
4)Chrome plated escutcheon, 6-1/2"(165mm)*2"(51mm)wide
5)G1/2" male inlets
6)The product includes check valve to prevent cross-flow



9811
DOUBLE WORKBOARD FAUCET
1)Wall-mounted pantry faucet
2)8"(203mm)centers
3)G1/2" male inlets
4)Chrome plated escutcheon, 10-1/2"(267mm)*2"(51mm)wide
5)The product includes check valve to prevent cross-flow



9801
DOUBLE WORKBOARD FAUCET
1)Wall-mounted pantry faucet
2)4"(102mm)centers
3)G1/2" male inlets
4)Chrome plated escutcheon, 6-1/2"(165mm)*2"(51mm)wide
5)The product includes check valve to prevent cross-flow


NOZZLES SWING NOZZLE	MODEL	L/SIZES	MODEL	MODEL		MODEL	MODEL	MODEL	MODEL
	006S	6"(152mm)	9808-06	9809-06		9810-06	9800-06	9811-06	9801-06
	008S	8"(203mm)	9808-08	9809-08		9810-08	9800-08	9811-08	9801-08
	010S	10"(254mm)	9808-10	9809-10		9810-10	9800-10	9811-10	9801-10
	012S	12"(305mm)	9808-12	9809-12		9810-12	9800-12	9811-12	9801-12
	014S	14"(356mm)	9808-14	9809-14		9810-14	9800-14	9811-14	9801-14
	016S	16"(406mm)	9808-16	9809-16		9810-16	9800-16	9811-16	9801-16
	018S	18"(457mm)	9808-18	9809-18		9810-18	9800-18	9811-18	9801-18
GOOSENECK NOZZLES	**MODEL**	**SPREAD**	**MODEL**	**MODEL**		**MODEL**	**MODEL**	**MODEL**	**MODEL**
	P-0133	5-11/16"(145mm)	9808-P3	9809-P3		9810-P3	9800-P3	9811-P3	9801-P3
	P-0134	7-3/4"(192mm)	9808-P4	9809-P4		9810-P4	9800-P4	9811-P4	9801-P4
	P-0135	8-3/4"(223mm)	9808-P5	9809-P5		9810-P5	9800-P5	9811-P5	9801-P5

WRIST ACTION HANDLE FAUCETS

Top-Rinse WATER INDUSTRY

These base faucets are equipped with spring check spindle assemblies.

Http://www.pre-rinse.com
Email:info@pre-rinse.com
Email:young@pre-rinse.com
Tel:+86-576-87121119
Tel:+86-576-87121420
Fax:+86-576-87121319



9802
SWIVEL BASE FAUCET
1)Wall-mounted pantry faucet
2)Wrist action handle
3)8"(203mm)centers
4)1/2"NPT eccentric flanged female inlets
5)The product includes check valve to prevent cross-flow



9803
DECK MIXING FAUCET
1)Deck-mounted pantry faucet
2)Wrist action handle
3)8"(203mm)centers
4)1/2"NPT eccentric flanged female inlets
5)The product includes check valve to prevent cross-flow



9805
DECK MIXING FAUCET
1)Deck mounted mixing faucet
2)Wrist action handle
3)4"(102mm)Centers
4)1/2"NPT eccentric flanged female inlets
5)The product includes check valve to prevent cross-flow



9804
DOUBLE WORKBOARD FAUCET
1)Deck-mounted pantry faucet
2)Wrist action handle
3)Removable seats
4)8"(203mm)centers
5)Chrome plated escutcheon, 10-1/2"(267mm)*2"(51mm)wide
6)G1/2" male inlets
7)The product includes check valve to prevent cross-flow



9807
DOUBLE WORKBOARD FAUCET
1)Deck-mounted pantry faucet
2)Wrist action handle
3)Removable seats
4)4"(102mm)centers
5)Chrome plated escutcheon, 6-1/2"(165mm)*2"(51mm)wide
6)G1/2" male inlets
7)The product includes check valve to prevent cross-flow




9806
SWIVEL BASE FAUCET
1)Deck-mounted pantry faucet
2)Wrist action handle
3)Single hole
4)G1/2" female inlets
5)The product includes check valve to prevent cross-flow

NOZZLES SWING NOZZLE	MODEL	L/SIZES	MODEL	MODEL			MODEL	MODEL	MODEL	MODEL
	006S	6"(152mm)	9802-06	9803-06			9805-06	9804-06	9807-06	9806-06
	008S	8"(203mm)	9802-08	9803-08			9805-08	9804-08	9807-08	9806-08
	010S	10"(254mm)	9802-10	9803-10			9805-10	9804-10	9807-10	9806-10
	012S	12"(305mm)	9802-12	9803-12			9805-12	9804-12	9807-12	9806-12
	014S	14"(356mm)	9802-14	9803-14			9805-14	9804-14	9807-14	9806-14
	016S	16"(406mm)	9802-16	9803-16			9805-16	9804-16	9807-16	9806-16
	018S	18"(457mm)	9802-18	9803-18			9805-18	9804-18	9807-18	9806-18
GOOSENECK NOZZLES	**MODEL**	**SPREAD**	**MODEL**	**MODEL**			**MODEL**	**MODEL**	**MODEL**	**MODEL**
	P-0133	5-11/16"(145mm)	9802-P3	9803-P3			9805-P3	9804-P3	9807-P3	9806-P3
	P-0134	7-3/4"(192mm)	9802-P4	9803-P4			9805-P4	9804-P4	9807-P4	9806-P4
	P-0135	8-3/4"(223mm)	9802-P5	9803-P5			9805-P5	9804-P5	9807-P5	9806-P5










BF98192-2

Big-flo pre-rinse with add-on faucet


1)8"(203mm)centers wall mount base faucet
2)Add-on faucet with 12"(305mm)big swing nozzle
3)3/8"NPT 18" riser
4)Stainless steel hose and spray valve
5)G3/4" elbows furnished to allow for option deck mounting
6)Furnished with two 3/4" NPSM check valves



BF9819-M600-AS
BF9819-M600UK-AS

Big-flo faucet and spray valve

1)Add-on faucet with 12"(305mm)big swing nozzle
2)8"(203mm)centers wall mount base faucet
3)7"(180mm)centers wall mount base faucet
4)68"(1730mm)long stainless steel flexible hose with spray valve
5)G3/4" elbows furnished to allow for option deck mounting
6)Furnished with two 3/4|" NPSM check valves







BF9819-12
BF9819UK-12

Big-flo faucet

1)8"(203mm)centers wall mount base faucet
2)7"(180mm)centers wall mount base faucet
3)12"(305mm)big swing nozzle
4)G3/4" elbows furnished to allow for option deck mounting
5)Furnished with two 3/4" NPSM check valves







BF9820-12

Big-flo faucet


1)deck mount base faucet
2)12"(305mm)big swing nozzle
3)G3/4" elbows furnished to allow for option deck mounting



BFD9819-12
BFD9819UK-12

Big-flo faucet

1)8"(203mm)centers deck mount base faucet
2)7"(180mm)centers deck mount base faucet
3)12"(305mm)big swing nozzle
4)G3/4" elbows furnished to allow for option deck mounting
5)Furnished with two 3/4" NPSM check valves



NOZZLES



SWING NOZZLE

STANDARD SIZES:

MODEL	LENGTH	CLEARANCE
006S	6"(152mm)	2-5/16"(59mm)
008S	8"(203mm)	2-15/16"(74mm)
010S	10"(254mm)	3-5/8"(92mm)
012S	12"(305mm)	3-3/4"(95mm)
014S	14"(356mm)	5"(127mm)
016S	16"(406mm)	5-13/16"(147mm)
018S	18"(457mm)	6-3/8"(162mm)



GOOSENECK NOZZLES

STANDARD SIZES:

MODEL	SPREAD	HEIGHT	CLEARANCE
P-0131	2-13/16"(71mm)	4-3/4"(120mm)	2-9/16"(65mm)
P-0132	2-3/4"(70mm)	9-1/16"(230mm)	5-9/16"(142mm)
P-0133	5-11/16"(145mm)	10-3/8"(264mm)	6-3/8"(162mm)
P-0134	7-3/4"(192mm)	11-7/16"(290mm)	5-1/2"(139mm)
P-0135	8-3/4"(223mm)	12-1/16"(306mm)	5-9/16"(141mm)
P-0136	12-1/4"(310mm)	14-11/16"(373mm)	5-3/8"(137mm)



DOUBLE-JOINT NOZZLES

STANDARD SIZES:

MODEL	BACK	FRONT	TOTAL
006DJ	6"(152mm)	6"(152mm)	12"(305mm)
007DJ	9"(229mm)	6"(152mm)	15"(381mm)
008DJ	12"(305mm)	6"(152mm)	18"(457mm)
009DJ	12"(305mm)	12"(305mm)	24"(610mm)



SWIVEL VACUUM BREAKER GOOSENECK

STANDARD SIZES:

MODEL	SPREAD	HEIGHT	CLEARANCE
501SVB	5-5/8"(143mm)	9"(229mm)	4-11/16"(119mm)
502SVB	8-5/8"(219mm)	9"(229mm)	4-11/16"(119mm)
503SVB	11-5/8"(295mm)	9"(229mm)	4-11/16"(119mm)
504SVB	5-5/8"(143mm)	8-11/16"(221mm)	4-3/8"(111mm)
505SVB	8-5/8"(219mm)	8-11/16"(221mm)	4-3/8"(111mm)
506SVB	11-5/8"(295mm)	8-11/16"(221mm)	4-3/8"(111mm)



SPECIAL CUSTOM DOUBLE-JOINT NOZZLES

STANDARD SIZES:

MODEL	BACK	FRONT	TOTAL
006VDJ	6"(152mm)	6"(152mm)	12"(305mm)
007VDJ	9"(229mm)	6"(152mm)	15"(381mm)
008VDJ	12"(305mm)	6"(152mm)	18"(457mm)
009VDJ	12"(305mm)	12"(305mm)	24"(610mm)



VACUUM BREAKER SWING NOZZLE WITH GARDEN HOSE THREAD


STANDARD SIZES:

MODEL	SPREAD	HEIGHT
401SVB	5-5/8"(143mm)	3-11/16"(94mm)
402SVB	8-5/8"(219mm)	3-11/16"(94mm)
403SVB	11-5/8"(295mm)	3-11/16"(94mm)


Top-Rinse® WATER INDUSTRY

- PANTRY FAUCET WITH ADD ON FAUCETS
- POT FILLER FAUCETS
- UTILITY SPRAY FAUCETS
- PARTS KIT AND ELECTRONIC FAUCETS






PANTRY FAUCET WITH ADD ON FAUCETS



9816-M600-AS

Deck-mounted Faucet


1)Add on faucet with 12"(305mm) swing nozzle
2)Built-in check valves
3)68"(1730mm)long stainless steel flexible hose with spray valve
4)Zinc wall hook with chrome plated





9812-M600-AS

Deck-mounted Faucet

1)Single pantry spray valve
2)Add on faucet with 12"(305mm) swing nozzle
3)Built-in check valves
4)68"(1730mm)long stainless steel flexible hose with spray valve
5)Zinc wall hook with chrome plated







9817-M600-AS

Wall-mounted Faucet

1)Single pantry spray valve
2)Add on faucet with 12"(305mm) swing nozzle
3)Built-in check valves
4)68"(1730mm)long stainless steel flexible hose with spray valve
5)Zinc wall hook with chrome plated





PANTRY FAUCET WITH ADD ON FAUCETS


9815-M600-AS

Deck-mounted Faucet

1)Add on faucet with 12"(305mm) swing nozzle
2)4"(102mm)center
3)Built-in check valves
4)68"(1730mm)long stainless steel flexible hose with spray valve
5)Zinc wall hook with chrome plated







9808-M600-AS

Wall-mounted Faucet

1)Single pantry spray valve
2)Add on faucet with 12"(305mm) swing nozzle
3)Built-in check valves
4)68"(1730mm)long stainless steel flexible hose with spray valve
5)Zinc wall hook with chrome plated




9809-M600-AS


Deck-mounted Faucet

1)Single pantry spray valve
2)Add on faucet with 12"(305mm) swing nozzle
3)Built-in check valves
4)68"(1730mm)long stainless steel flexible hose with spray valve
5)Zinc wall hook with chrome plated






PANTRY FAUCET WITH ADD ON FAUCETS



9814-M600-AS

Wall-mounted Faucet

1)Add on faucet with 12"(305mm) swing nozzle
2)8"(203mm)center
3)Built-in check valves
4)68"(1730mm)long stainless steel flexible hose with spray valve
5)Zinc wall hook with chrome plated




9813-M600-AS
9813UK-M600-AS
9813EU-M600-AS

Deck-mounted Faucet

1)Add on faucet with 12"(305mm) swing nozzle
2)8"(203mm)center/7"(180mm)center/6"(152mm)center
3)Built-in check valves
4)68"(1730mm)long stainless steel flexible hose with spray valve
5)Zinc wall hook with chrome plated







POT FILLER FAUCETS


9816-M800-VB

Deck-mounted Pot Filler

1)Available with or without vacuum breaker
2)Built-in check valves
3)68"(1730mm) long stainless steel flexible hose
4)Zinc wall hook with chrome plated








9812-M800-VB

Deck-mounted Pot Filler

1)Single pantry pot filler
2)Available with or without vacuum breaker
3)Built-in check valves
4)68"(1730mm) long stainless steel flexible hose
5)Zinc wall hook with chrome plated





9809-M800-VB

Deck-mounted Pot Filler

1)Single pantry pot filler
2)Available with or without vacuum breaker
3)Built-in check valves
4)68"(1730mm) long stainless steel flexible hose
5)Zinc wall hook with chrome plated








9808-M800-VB

Wall-mounted Pot Filler


1)Single pantry pot filler
2)Available with or without vacuum breaker
3)Built-in check valves
4)68"(1730mm) long stainless steel flexible hose
5)Zinc wall hook with chrome plated





9813-M800-VB
9813UK-M800-VB
9813EU-M800-VB

Deck-mounted Pot Filler

1)Available with or without vacuum breaker
2)8"(203mm)center/7"(180mm)center/6"(152mm)center
3)Built-in check valves
4)68"(1730mm) long stainless steel flexible hose
5)Zinc wall hook with chrome plated








9815-M800-VB

Deck-mounted Pot Filler

1)Available with or without vacuum breaker
2)4"(102mm)center
3)Built-in check valves
4)68"(1730mm) long stainless steel flexible hose
5)Zinc wall hook with chrome plated




9814-M800-VB

Wall-mounted Pot Filler

1)Available with or without vacuum breaker
2)8"(203mm)center
3)Built-in check valves
4)68"(1730mm) long stainless steel flexible hose
5)Zinc wall hook with chrome plated







9817-M800-VB

Wall-mounted Pot Filler

1)Single pantry pot filler
2)Available with or without vacuum breaker
3)Built-in check valves
4)68"(1730mm) long stainless steel flexible hose
5)Zinc wall hook with chrome plated







9816-M700-VB

Deck-mounted Utility Spray

1)Available with or without vacuum breaker
2)Built-in check valves
3)68"(1730mm)long stainless steel flexible hose
4)Zinc wall hook with chrome plated





9812-M700-VB

Deck-mounted Utility Spray

1)Single pantry pot filler
2)Available with or without vacuum breaker
3)Built-in check valves
4)68"(1730mm)long stainless steel flexible hose
5)Zinc wall hook with chrome plated







9809-M700-VB

Deck-mounted Base Btility Spray

1)Single pantry utility
2)Available with or without vacuum breaker
3)68"(1730mm)long stainless steel flexible hose
4)Zinc wall hook with chrome plated





UTILITY SPRAY FAUCETS


9808-M700-VB

Wall-mounted Base Utility spray

1)Single pantry pot filler
2)Available with or without vacuum breaker
3)68"(1730mm)long stainless steel flexible hose
4)Zinc wall hook with chrome plated







9813-M700-VB
9813UK-M700-VB
9813EU-M700-VB

Deck-mounted Utility Spray

1)Available with or without vacuum breaker
2)8"(203mm)center/7"(180mm)center/6"(152mm)center
3)Built-in check valves
4)68"(1730mm)long stainless steel flexible hose
5)Zinc wall hook with chrome plated




9815-M700-VB


Deck-mounted Utility Spray

1)Available with or without vacuum breaker
2)4"(102mm)center
3)Built-in check valves
4)68"(1730mm)long stainless steel flexible hose
5)Zinc wall hook with chrome plated





UTILITY SPRAY FAUCETS



9817-M700-VB

Wall-mounted Base Utility Spray

1)Single pantry pot filler
2)Available with or without vacuum breaker
3)Built-in check valves
4)68"(1730mm)long stainless steel flexible hose
5)Zinc wall hook with chrome plated




9814-M700-VB

Wall-mounted Utility Spray

1)Available with or without vacuum breaker
2)8"(203mm)center
3)Built-in check valves
4)68"(1730mm)long stainless steel flexible hose
5)Zinc wall hook with chrome plated





PARTS KIT AND ELECTRONIC FAUCETS



M-0607-S

Pre-rinse Pot Filler with Stainless Steel Flexible Hose

1)Hook nozzle for use on large pots and steam kettles
2)68"(1730mm) flexible stainless steel hose
3)1/2"NPT male inlet



M-0608-S

Pre-rinse Spray Valve with Stainless Steel Flexible Hose

1)Applicable in industrial kitchen
2)44"(1118mm) flexible stainless steel hose
3)1/2"NPT male inlet



M-0609-S

Pre-rinse Spray Valve with Stainless Steel Flexible Hose

1)Applicable in industrial kitchen
2)44"(1118mm) flexible stainless steel hose
3)1/2"NPT male inlet



M-0605-S

Pre-rinse Spray Valve with Stainless Steel Flexible Hose

1)Applicable in industrial kitchen
2)68"(1730mm) flexible stainless steel hose
3)1/2"NPT male inlet



M-700-VB

Stainless Steel Flexible Hose and Quick-connect Sray Head



M-800-VB

Stainless Steel Flexible Hose and Quick-connect Pot Filler

PARTS KIT AND ELECTRONIC FAUCETS



M-0102-B

Wall Hook

1)Attaches to wall with screws (furnished)
2)Flange diameter 2"(51mm)
3)No inlet connection



M-0001-VB

Vacuum Breaker



MF-0012C

Swivel Adapter assembly



M-2742-P3

Single Lever Faucet

1)Deck-mounted single lever side mount base faucet
2)Swivel gooseneck with P3
3)1/2"NPSM eccentric flanged female inlets
4)The product includes check valve to prevent cross-flow
5)P3=5-11/16"(145mm)*10-3/8"(264mm)*6-3/8"(162mm)



MS43D

Single Hole Or Double Hole 4"(102mm)deck-mounted Induction Faucet(dc Type)



MS42D

Single Hole Or Double Hole 4"(102mm)deck-mounted Induction Faucet(dc Type)



MS62D

Single Hole Deck-mounted Induction Faucet(dc Type)




MS61D

Single Hole Wall-mounted Induction Faucet(dc Type)



FV-001

Connector



MS4001B

装墙面感应水龙头
(可选配自发电和交直流通用)



MS72D

装墙面感应水龙头
(可选配自发电和交直流通用)



MS71D

装墙面感应水龙头
(可选配自发电和交直流通用)



MS63DM

装台面感应水龙头
(可选配自发电和交直流通用)



EW-201

出水口式洗眼器