

- BOWL FAUCETS AND WATER STATION FAUCETS
- FOOT VALVE AND DISPENSER
- WASTE DRAIN



BOWL FAUCETS AND WATER STATION FAUCETS



9840

Dipperwell Faucet and Dipperwell Bowl

Faucet:

- 1) 5-3/4" (146mm) Overall height
- 2) 1-3/8" (35mm) Above table
- 3) 1/16" (1.6mm) Solder inlet

Bowl:

- 1) Keeps ice cream scoops & paddles clean & sanitized
- 2) Stainless steel internal cup outer container & tail washer
- 3) 1/4" (102mm) Length of 1-1/2" (38mm) brass tubing
- 4) Sits flush with table top
- 5) Drains quickly & easily



9840-S

Bowl:


- 1) keeps ice cream scoops & paddles clean & sanitized
- 2) Stainless steel internal cup outer container & tail washer
- 3) 1/4" (102mm) Length of 1-1/2" (38mm) brass tubing
- 4) Sits flush with table top
- 5) Drains quickly & easily



9840-F

Faucet:

- 1) 5-3/4" (146mm) Overall height
- 2) 1-3/8" (35mm) Above table
- 3) 1/16" (1.6mm) Solder inlet



9851

WATER STATION

- 1) Water station
- 2) 10-1/2" (267mm) x 12-1/2" (318mm) drip pan is one piece 18 gauge stainless steel
- 3) push back glass filler with 8" (203mm) clearance from tip to pan (other heights available on request)
- 4) Coupling nut and 1/4" (6mm) sweat tailpiece for copper tube connection
- 5) 2 1/4" diameter grid drain
- 6) Drain 1 1/4" x 4" long, 17 gauge tailpiece

BOWL FAUCETS AND WATER STATION FAUCETS



9850

Pedestal push back single glass filler

- 1) Single pedestal type push back glass filler
- 2) Adjustable flange on shank of pedestal
- 3) 1/2" IPS male shank 2" (51mm) long
- 4) Base of flange to outlet is 8" (203mm)
- 5) Volume regulator
- 6) Instantaneous shut-off
- 7) translucent blue push back arm



9851-S

STAINLESS STEEL DRIP PAN

10-1/2" (267mm) x 12-1/2" (318mm) drip pan is one piece 18 gauge stainless steel



9850-D

Pedestal push back single glass filler

- 1) Single pedestal type push back glass filler
- 2) Adjustable flange on shank of pedestal
- 3) 1/2" IPS male shank 2" (51mm) long
- 4) Base of flange to outlet is 8" (203mm)
- 5) Volume regulator
- 6) Instantaneous shut-off
- 7) translucent blue push back arm



9850-F




PUSH BACK GLASS FILLER

Wall mounted, 3/8" NPT male inlet




9850-Z




L: 420mm L: 290mm



CONTAINER RINSER





GLASS RINSER



BOWL FAUCETS AND WATER STATION FAUCETS




9850N
Pedestal push back single glass filler



9850-AF
Pedestal push back single glass filler



- 1) Single pedestal type push back glass filler
- 2) Adjustable flange on shank of pedestal
- 3) 1/2" IPS male shank 2" (51mm) long
- 4) Base of flange to outlet is 8" (203mm)
- 5) Volume regulator
- 6) Instantaneous shut-off
- 7) translucent blue push back arm
- 8) Add-on faucet, swing nozzle



9853
Drinking Water Faucet



9855
Drinking water faucet




9854
Drinking Water Faucet

GLASS RINSER




98553-AF



98553





98552-AF



98552




98551-AF



98551


GLASS RINSER



9860-D


9860-D02

Glass rinser



9860-C-RA

Glass rinser



GLASS RINSER



9860-VCB




9860-BK




9860-VC




9860-FE-110




9860-FE-145




9860-DF-110




9860-DF-145




9860-FF-110



9860-FF-145



CONTAINER RINSER



9880-AG-NE



9860-AG



9861



9861S



9880-NE



9880-AG



9861S-LH327



9861S-LH327



9861S-3



9880-A



9880-VC




9861S-1A



9861S-2A

KITCHEN SHOWER FAUCET


PRE-RINSE UNIT



8700-S1-SH

Kitchen Faucet

- 1) Wall-mounted pantry faucet
- 2) 8" (203mm) centers
- 3) G1/2" eccentric flanged female inlets
- 4) S/S 304 double buckle type tube
- 5) Double function sprinkler



9823-009DJ-SH

Single pantry Faucet


- 1) Wall-mounted pantry faucet
- 2) With double-joint nozzle
- 3) Lever handle (specify cold or hot)
- 4) G1/2" male shank
- 5) Double-joint nozzle: Back 12" (305mm) Front 12" (305mm) Total 24" (610mm)
- 6) Double function mini sprinkler



8800-S1-SH

Deck-mounted Faucet



- 1) Deck-mounted pantry faucet
- 2) 8" (203mm) centers
- 3) G1/2" eccentric flanged female inlets
- 4) S/S 304 double buckle type tube
- 5) Double function sprinkler



9823-12-SH

Single pantry faucet

- 1) Wall-mounted pantry faucet
- 2) Swing nozzle with 12" (305mm) length
- 3) Lever handle (specify cold or hot)
- 4) G1/2" male shank
- 5) The product includes check valve to prevent cross-flow
- 6) Double function mini sprinkler



9814-S1-SH


8" (203mm) center

9814UK-S1-SH

7" (180mm) center

Double Pantry Faucet

- 1) Wall-mounted pantry faucet
- 2) 8" (203mm) centers
- 3) G1/2" eccentric flanged female inlets
- 4) S/S 304 double buckle type tube
- 5) Double function sprinkler



9823-P3-SH

Single pantry Faucet


- 1) Wall-mounted pantry faucet
- 2) Swivel gooseneck with P3
- 3) Lever handle (specify cold or hot)
- 4) G1/2" male shank
- 5) The product includes check valve to prevent cross-flow, Pipe sizes: P3 = 5-11/16" (145mm) * 10-3/8" (264mm) * 6-3/8" (162mm)
- 6) Double function mini sprinkler



- FOOT VALVE AND DISPENSER
- WASTE DRAIN
- FOOT VALVE AND DISPENSER




FOOT VALVE AND DISPENSER





F-901
CAST SINGLE FOOT VALVE




F-903
CAST DOUBLE FOOT VALVE




F-901A
CAST SINGLE KNEE VALVE




F-903A
CAST KNEE VALVE





F-902
FORMED FOOT VALVE



F-904
AUTO MIXING
FORMED FOOT VALVE







F-902A
FORMED KNEE VALVE







F-904A
AUTO MIXING
CAST KNEE VALVE



WASTE DRAIN



WASTE DRAIN



FOOT VALVE AND DISPENSER



CP-A
DISPENSER
400ml



CP-B
DISPENSER
400ml



CP-C
DISPENSER
400ml



CP-F
DISPENSER
450ml



CP-E
DISPENSER
450ml



CP-G
DISPENSER
450ml



CP-D
DISPENSER
1000ml




WV-31E
OVERFLOW PIPE
CONNECTED
ELBOW (PLASTIC)



WV-31F
OVERFLOW ASSEMBLY



MS2101
SIZES: 110mm X 1 1/2"



WV31P
OVERFLOW
CONNECTED PIPE



WV-32P



MS-1001-1
Cast brass body sink
basket strainer



MS-1007
Stainless steel body
and basket





MS-1009
Stainless steel body
and basket



MS-1017
Stainless steel body
and basket

- HOSE REEL (STAINLESS STEEL)
- HOSE REEL (STEEL)
- HOSE REEL ACCESSORIES
- FITTINGS



HOSE REEL (STAINLESS STEEL)



CODE	SIZE (L)
XDF5188S/S	11M
XDF5148S/S	5M
XDF5138S/S	3.5M

XDF5188S/S(11M)

OPEN HOSE REEL

- 1) Stainless Steel Open Hose Reel
- 2) (11m) Of heavy-duty nontoxic blue hose with knitted reinforcement
- 7/8"-20UNEF female I.D., Rated to 300PSI, Burst pressure: 1000PSI, Working temperature: 0-100°C (not recommend for steam purpose)
- 3) Connection SPRAY VALVE
- 4) Ratcheting system holds the length of hose until a slight tug, retracts automatically
- 5) 3/8"NPT female inlet
- 6) Adjustable hose bumper
- 7) Multi-fit bracket for wall, ceiling or under counter mounting




CODE	SIZE (L)
XDF5188WS/S	11M
XDF5148WS/S	5M
XDF5138WS/S	3.5M

XDF5188WS/S(11M)

OPEN HOSE REEL

- 1) Stainless Steel Open Hose Reel
- 2) (11m) Of heavy-duty nontoxic blue hose with knitted reinforcement
- 7/8"-20UNEF female I.D., Rated to 300PSI, Burst pressure: 1000PSI, Working temperature: 0-100°C (not recommend for steam purpose)
- 3) Connection FRONT TRIGGER WATER GUN
- 4) Ratcheting system holds the length of hose until a slight tug, retracts automatically
- 5) 3/8"NPT female inlet
- 6) Adjustable hose bumper
- 7) Multi-fit bracket for wall, ceiling or under counter mounting



HOSE REEL (STAINLESS STEEL)



XDF5168S/S(15M)

OPEN HOSE REEL



- 1) Stainless Steel Open Hose Reel
- 2) (15m) Of heavy-duty nontoxic blue hose with knitted reinforcement 7/8"-20UNEF female I.D., Rated to 300PSI, Burst pressure: 1000PSI, Working temperature: 0-100°C (not recommend for steam purpose)
- 3) Connection SPRAY VALVE
- 4) Ratcheting system holds the length of hose until a slight tug, retracts automatically
- 5) 3/8"NPT female inlet
- 6) Adjustable hose bumper
- 7) Multi-fit bracket for wall, ceiling or under counter mounting



XDF5168W/S(15M)

OPEN HOSE REEL

- 1) Stainless Steel Open Hose Reel
- 2) (15m) Of heavy-duty nontoxic blue hose with knitted reinforcement 7/8"-20UNEF female I.D., Rated to 300PSI, Burst pressure: 1000PSI, Working temperature: 0-100°C (not recommend for steam purpose)
- 3) Connection FRONT TRIGGER WATER GUN
- 4) Ratcheting system holds the length of hose until a slight tug, retracts automatically
- 5) 3/8"NPT female inlet
- 6) Adjustable hose bumper
- 7) Multi-fit bracket for wall, ceiling or under counter mounting



XDF5198WS/S(9.1M)


ENCLOSED HOSE REEL

- 1) Stainless Steel Enclosed Hose Reel
- 2) (9m) Of heavy-duty nontoxic blue hose with knitted reinforcement 7/8"-20UNEF female I.D., Rated to 300PSI, Burst pressure: 1000PSI, Working temperature: 0-100°C (not recommend for steam purpose)
- 3) Connection FRONT TRIGGER WATER GUN
- 4) Ratcheting system holds the length of hose until a slight tug, retracts automatically
- 5) 3/8"NPT female inlet
- 6) Adjustable hose bumper
- 7) Multi-fit bracket for wall, ceiling or under counter mounting

XDF5198S/S(9.1M)

ENCLOSED HOSE REEL

- 1) Stainless Steel Enclosed Hose Reel
- 2) (9m) Of heavy-duty nontoxic blue hose with knitted reinforcement 7/8"-20UNEF female I.D., Rated to 300PSI, Burst pressure: 1000PSI, Working temperature: 0-100°C (not recommend for steam purpose)
- 3) Connection SPRAY VALVE
- 4) Ratcheting system holds the length of hose until a slight tug, retracts automatically
- 5) 3/8"NPT female inlet
- 6) Adjustable hose bumper
- 7) Multi-fit bracket for wall, ceiling or under counter mounting



XDF5188W(11M)

OPEN HOSE REEL

- 1) Open reel with epoxy coated steel finish
- 2) (11m) Of heavy-duty nontoxic blue hose with knitted reinforcement 7/8"-20UNEF female I.D., Rated to 300PSI, Burst pressure: 1000PSI, Working temperature: 0-100°C (not recommend for steam purpose)
- 3) Connection FRONT TRIGGER WATER GUN
- 4) Ratcheting system holds the length of hose until a slight tug, retracts automatically
- 5) 3/8"NPT female inlet
- 6) Adjustable hose bumper
- 7) Multi-fit bracket for wall, ceiling or under counter mounting

XDF5188(11M)

OPEN HOSE REEL

- 1) Open reel with epoxy coated steel finish
- 2) (11m) Of heavy-duty nontoxic blue hose with knitted reinforcement 7/8"-20UNEF female I.D., Rated to 300PSI, Burst pressure: 1000PSI, Working temperature: 0-100°C (not recommend for steam purpose)
- 3) Connection SPRAY VALVE
- 4) Ratcheting system holds the length of hose until a slight tug, retracts automatically
- 5) 3/8"NPT female inlet
- 6) Adjustable hose bumper
- 7) Multi-fit bracket for wall, ceiling or under counter mounting



HOSE REEL (STEEL)





XDF5198(9M)
ENCLOSED HOSE REEL

- 1) Enclosed reel with epoxy coated steel finish
- 2) (9m) Of heavy-duty nontoxic blue hose with knitted reinforcement 7/8"-20UNEF female I.D., Rated to 300PSI, Working temperature: 0-100°C (not recommend for steam purpose)
- 3) Connection SPRAY VALVE
- 4) Ratcheting system holds the length of hose until a slight tug, retracts automatically
- 5) 3/8"NPT female inlet
- 6) Adjustable hose bumper
- 7) Multi-fit bracket for wall, ceiling or under counter mounting



XDF5198W(9M)
ENCLOSED HOSE REEL

- 1) Enclosed reel with epoxy coated steel finish
- 2) (9m) Of heavy-duty nontoxic blue hose with knitted reinforcement 7/8"-20UNEF female I.D., Rated to 300PSI, Burst pressure: 1000PSI, Working temperature: 0-100°C (not recommend for steam purpose)
- 3) Connection FRONT TRIGGER WATER GUN
- 4) Ratcheting system holds the length of hose until a slight tug, retracts automatically
- 5) 3/8"NPT female inlet
- 6) Adjustable hose bumper
- 7) Multi-fit bracket for wall, ceiling or under counter mounting



XDF5168(15M)
OPEN HOSE REEL

- 1) Open reel with epoxy coated steel finish
- 2) (15m) Of heavy-duty nontoxic blue hose with knitted reinforcement 7/8"-20UNEF female I.D., Rated to 300PSI, Burst pressure: 1000PSI, Working temperature: 0-100°C (not recommend for steam purpose)
- 3) Connection SPRAY VALVE
- 4) Ratcheting system holds the length of hose until a slight tug, retracts automatically
- 5) 3/8"NPT female inlet
- 6) Adjustable hose bumper
- 7) Multi-fit bracket for wall, ceiling or under counter mounting



XDF5168W(15M)
OPEN HOSE REEL

- 1) Open reel with epoxy coated steel finish
- 2) (15m) Of heavy-duty nontoxic blue hose with knitted reinforcement 7/8"-20UNEF female I.D., Rated to 300PSI, Burst pressure: 1000PSI, Working temperature: 0-100°C (not recommend for steam purpose)
- 3) Connection FRONT TRIGGER WATER GUN
- 4) Ratcheting system holds the length of hose until a slight tug, retracts automatically
- 5) 3/8"NPT female inlet
- 6) Adjustable hose bumper
- 7) Multi-fit bracket for wall, ceiling or under counter mounting

HOSE REEL (STEEL)





XDF5178W(7.5M)
OPEN HOSE REEL

- 1) Open reel with epoxy coated steel finish
- 2) (7.5m) Of heavy-duty nontoxic blue hose with knitted reinforcement 7/8"-20UNEF female I.D., Rated to 300PSI, Burst pressure: 1000PSI, Working temperature: 0-100°C (not recommend for steam purpose)
- 3) Connection FRONT TRIGGER WATER GUN
- 4) Ratcheting system holds the length of hose until a slight tug, retracts automatically
- 5) 3/8"NPT female inlet
- 6) Adjustable hose bumper
- 7) Multi-fit bracket for wall, ceiling or under counter mounting



XDF5178(7.5M)
OPEN HOSE REEL

- 1) Open reel with epoxy coated steel finish
- 2) (7.5m) Of heavy-duty nontoxic blue hose with knitted reinforcement 7/8"-20UNEF female I.D., Rated to 300PSI, Burst pressure: 1000PSI, Working temperature: 0-100°C (not recommend for steam purpose)
- 3) Connection SPRAY VALVE
- 4) Ratcheting system holds the length of hose until a slight tug, retracts automatically
- 5) 3/8"NPT female inlet
- 6) Adjustable hose bumper
- 7) Multi-fit bracket for wall, ceiling or under counter mounting



XDF5158W(20M)
OPEN HOSE REEL

- 1) Open reel with epoxy coated steel finish
- 2) (20m) Of heavy-duty nontoxic blue hose with knitted reinforcement 7/8"-20UNEF female I.D., Rated to 300PSI, Burst pressure: 1000PSI, Working temperature: 0-100°C (not recommend for steam purpose)
- 3) Connection FRONT TRIGGER WATER GUN
- 4) Ratcheting system holds the length of hose until a slight tug, retracts automatically
- 5) 3/8"NPT female inlet
- 6) Adjustable hose bumper
- 7) Multi-fit bracket for wall, ceiling or under counter mounting


XDF5158(20M)
OPEN HOSE REEL

- 1) Open reel with epoxy coated steel finish
- 2) (20m) Of heavy-duty nontoxic blue hose with knitted reinforcement 7/8"-20UNEF female I.D., Rated to 300PSI, Burst pressure: 1000PSI, Working temperature: 0-100°C (not recommend for steam purpose)
- 3) Connection SPRAY VALVE
- 4) Ratcheting system holds the length of hose until a slight tug, retracts automatically
- 5) 3/8"NPT female inlet
- 6) Adjustable hose bumper
- 7) Multi-fit bracket for wall, ceiling






XDF5188-98002



HOSE REEL (STEEL)




MINI HOSE REEL(5M\3.5M)

STAINLESS STEEL

Mini Hose Reel	5M	3.5M
With water gun	XDF5148WS/S	XDF5138WS/S
with spray valve	XDF5148S/S	XDF5138S/S



XDF5198-98002



AP989

DETERGENT DISPENSER

- 1) Corrosion-resistant stainless steel part
 - 2) output dilute solution with spray or foam
 - 3) equipped with water rinsing functions
 - 4) with hose bracket.
- Flow rates Lit./min13/19.
Approx. Dilution range J10:1 to 500:1J




AP989H(11M)

DETERGENT DISPENSER

- 1)Corrosion-resistant stainless steel part
 - 2)output dilute solution with spray or foam
 - 3)equipped with water rinsing functions
 - 4)with hose bracket.
 - 5)with high pressure flexible hose and WATER GUN
- Flow rates Lit./min13/19.
Approx. Dilution range J10:1 to 500:1J

HOSE REEL ACCESSORIES



HR5200


MIXING VALVE

- 1) 1/4 Turn Full Volume valves
- 2) Built-in check valves prevent back-flow
- 3) Ergonomic cross handles provided as standard
- 4) Cast body and plated escutcheon
- 5) 1/2" NPS male inlets on 4" centers
- 6) 3/8" NPT female outlet
- 7) International color coded hot & cold identifiers provided
- 8) Ideal for remote pot fillers, glass fillers, & hose reel assemblies



HR004(STEEL)

HR004S/S(STAINLESS STEEL)





HOSE REEL ACCESSORIES



HR008(STEEL)

HR008S/S(STAINLESS STEEL)





HR008C(STEEL)

HR008CS/S(STAINLESS STEEL)



HR004C(STEEL)

HR004CS/S(STAINLESS STEEL)




FITTINGS



98-H
Staninless Steel Hose
1)98-H20"Flexible staninless steel hose
2)98-H44"Flexible staninless steel hose
3)98-H68"Flexible staninless steel hose
4)M-98-H68"Flexible staninless steel hose (MALE 1/2" NPT)INLET




98-HS
Staninless Steel Hose
1)98-HSL044cm Flexible staninless steel hose
2)98-HSL049cm Flexible staninless steel hose
3)98-HSL095cm Flexible staninless steel hose
4)98-HSL155cm Flexible staninless steel hose



98-SP
Coil Spring



98-PP
Riser Pipe L-20" (510mm)



98-WB
Wall Bracket



98-V-CM
Ceramic cartridges



98-LV-CM
Ceramic cartridges



WH-04-CV
Ceramic cartridges



WH-04
Wrist action Handle



98-V-CP
Compression cartridges



98-LV-CP
Compression cartridges



H-02-CV
Compression cartridges



98-V
Spring check spindle Assembly Replacement Kit



98-HD
Lever handle repair kit




98-HTF
Spray valve repair kit




98-SV
Self Closing Cartridge


FITTINGS



M0098SV-065G
spray valve 0.65gpm@60psi



M0098SV1-124G
spray valve 1.24gpm@60psi



M0098SV-124G
spray valve 1.24gpm@60psi



XDF-5101
spray valve



XDF-5100
water gun



XDF-5104




M-098-PFW
Spray Valve



M-098-SV-90
90 Angle spray valve



M-098-SV-35
35 Spray Valve



M-098-SV
Spray Valve



M-H098-PFW




M-H098SV-90
90 Angle spray valve



M-H098-SV-35
35 Spray Valve



M-H098-SV
Spray Valve



M-H098QC-SV
Spray Valve Quick-Connect


FITTINGS



00098-30
Elbow & Nipple
1/2"NPT*1/2"NPSM
L:2"(50mm)



00098-10
Nipple
1/2"NPSM
L:2"(50mm)



00098-20
Elbow
1/2"NPT*1/2"NPT




ZZ00
INLET FITTINGS



ZZ87
INLET FITTINGS



ZZ86
INLET FITTINGS



ZZ85
INLET FITTINGS




0098-02
STREAM REGULATOR
1)55/64"-27 Female Aerator Thread
2)Plain Outlet with screen and washer



0098-01
ALVEOLATE FLOW REGULATOR
1)55/64"-27 Female Inlet
2)2.2GPM



0098-03
U-INLETS
1)1/4"NPT tailpieces
2)4"(102mm)Centers



0098-H03
1)4"(102mm)Centers
2)1/2"NPSM male inlets
3)The product includes check valve to prevent cross-flow



HS098-01
M10X1XG1/2"X50CM



COMMERCIAL
KITCHEN PRODUCT
WATER RELATED
ACCESSORIES
FOR HOTEL KITCHEN
EQUIPMENT
AND FOOD
SERVICE INDUSTRY



SUNMIXER KITCHEN & SANITARY TECHNOLOGY CO.LTD.

Address: ROOM 1608, NO.655 HUBIN ROAD, WUXI JIANGSU CHINA


Http://www.prerinsesink.com E-mail: unifi@163.com

Tel: +86-18951561955

Tel: +86-13951583121

Tel: +86-15094382161

Fax: +86-0510-82805020



Company brief introduction

Founded in 1999, Sunmixer Sanitary Ware Company has been designing and developing many kinds of residential faucets and commercial faucets. We become the first one to manufacture the commercial faucets in China since 2001. Sunmixer is highly regarded as innovative and reliable manufacturer superior quality products for the commercial plumbing. From high quality Pre-rinse Faucets to Workboard Faucets, From Foot Valve to Hose Reel and Waste Valve, Sunmixer is a main leader in the plumbing industry in China.

Certification

SUNMIXER was ISO-9001:2000 approved in 2011 , and our products are widely approved for various market standard such as NSF61-9, NSF-372, WRAS, ACS and CE. Our products are produced with highest standard and workmanship in the industry, with strict quality control. Specially NSF61-9 is an important certificatin for safety drinking water application. We set up all necessary testing equipment in our lab to ensure our products to be produced under standard, with a result to bring our customer great value for reliable, durable, healthy and easy installation and service.


Warranty

Sunmixer warrants all products without defects in material and workmanship for 3 years from the date of purchase. We are responsible for the defective after our examination during the 3 years. If return defective merchandise, the customer should bear shipping cost by himself. We appreciate no claims for labor,shipping costs or consequential damages .



CONTENTS

121-126	
127-127	
128-28	
129-132	
133-33	
134-136	




Single Hole Deck Mounted
Pre-Rinse Unit

- Single hole faucet
- Supplied with 1/2" in-line check valves
- 18" flexible inlets with 1/2" couplings
- Includes 6" wall bracket
- Available with add-on faucet:


Model No:	M98E-106A	6" Add-on Faucet
	M98E-108A	8" Add-on Faucet
	M98E-110A	10" Add-on Faucet
	M98E-112A	12" Add-on Faucet
	M98E-114A	14" Add-on Faucet
	M98E-116A	16" Add-on Faucet
	M98E-118A	18" Add-on Faucet



M98E-100




M98E-112A



8"Wall Mounted Pre-Rinse Unit

- Faucet with 8" centers
- Built-in check valves
- Inlet kit sold separately
- Includes 6" wall bracket
- Available with add-on faucet:


Model No: **M98E-206A** 6"Add-on Faucet
M98E-208A 8"Add-on Faucet
M98E-210A 10"Add-on Faucet
M98E-212A 12"Add-on Faucet
M98E-214A 14"Add-on Faucet
M98E-216A 16"Add-on Faucet
M98E-218A 18"Add-on Faucet



M98E-200




M98E-212A



8"Deck Mounted Pre-Rinse Unit

- Faucet with 8" centers
- Built-in check valves
- Inlet kit sold separately
- Includes 6" wall bracket
- Available with add-on faucet:


Model No: **M98E-306A** 6"Add-on Faucet
M98E-308A 8"Add-on Faucet
M98E-310A 10"Add-on Faucet
M98E-312A 12"Add-on Faucet
M98E-314A 14"Add-on Faucet
M98E-316A 16"Add-on Faucet
M98E-318A 18"Add-on Faucet



M98E-300



M98E-312A




4"Deck Mounted Pre-Rinse Unit

- Faucet with 4" centers
- Built-in check valves
- Inlet kit sold separately
- Includes 6" wall bracket
- Available with add-on faucet:


Model No:
M98E-406A 6"(150mm)Add-on Faucet
M98E-408A 8"(203mm)Add-on Faucet
M98E-410A 10"(254mm)Add-on Faucet
M98E-412A 12"(305mm)Add-on Faucet
M98E-414A 14"(355mm)Add-on Faucet
M98E-416A 16"(406mm)Add-on Faucet
M98E-418A 18"(457mm)Add-on Faucet



M98E-400



M98E-412A




Single Hole Deck Mounted Pre-Rinse Unit

- Single supply faucet
- Includes 6" wall bracket
- Available with add-on faucet:

Model No:
M98E-506A 6"(150mm)Add-on Faucet
M98E-508A 8"(203mm)Add-on Faucet
M98E-510A 10"(254mm)Add-on Faucet
M98E-512A 12"(305mm)Add-on Faucet
M98E-514A 14"(355mm)Add-on Faucet
M98E-516A 16"(406mm)Add-on Faucet
M98E-518A 18"(457mm)Add-on Faucet




M98E-500



M98E-512A



MN98E-306A




Mini 8"Deck Mounted Pre-Rinse Unit

- Faucet with 8" centers
- Built-in check valves
- Inlet kit sold separately
- Includes 6" wall bracket
- Add-on faucet, Swing nozzle with 6"(150mm)length



MN98E-506A




Single Hole Deck Mounted Pre-Rinse Unit

- Single supply faucet
- Includes 6" wall bracket
- Add-on faucet, Swing nozzle with 6"(150mm)length



MN98E-106A



Mini Single Hole Deck Mounted Pre-Rinse Unit

- Single hole faucet
- Supplied with 1/2" in-line check valves
- 18" flexible inlets with 1/2" couplings
- Includes 6" wall bracket
- Add-on faucet, Swing nozzle with 6"(150mm)length





M98E-501SN12

Single Hole Deck Mounted Faucet

- 18" flexible inlets with 1/2" couplings
- Also available with other length swivel nozzles:

Model No.: **M99E-501SN06** 6"(150mm)swivel nozzle
M99E-501SN08 8"(203mm)swivel nozzle
M99E-501SN10 10"(254mm)swivel nozzle
M99E-501SN12 12"(305mm)swivel nozzle
M99E-501SN14 14"(355mm)swivel nozzle
M99E-501SN16 16"(406mm)swivel nozzle
M99E-501SN18 18"(457mm)swivel nozzle



M98E-501SG03

Single Hole Deck Mounted Faucet with 5¹¹/₁₆" swivel gooseneck

Model No.: **M98E-501SG02** (92mm)swivel gooseneck
M98E-501SG03 (145mm)swivel gooseneck
M98E-501SG04 (215mm)swivel gooseneck





M98E-502SN12

8" (203mm) Center Wall Mounted Faucet

- Wall mounted faucet with 12" swivel nozzle
- Inlet kit sold separately
- Also available with other length swivel nozzles:

Model No.: **M99E-502SN06** 6"(150mm)swivel nozzle
M99E-502SN08 8"(203mm)swivel nozzle
M99E-502SN10 10"(254mm)swivel nozzle
M99E-502SN12 12"(305mm)swivel nozzle
M99E-502SN14 14"(355mm)swivel nozzle
M99E-502SN16 16"(406mm)swivel nozzle
M99E-502SN18 18"swivel nozzle



M98E-502SG03



8" (203mm) Center Wall Mounted Faucet with 5¹¹/₁₆" swivel gooseneck

Model No.: **M98E-502SG02** (92mm)swivel gooseneck
M98E-502SG03 (145mm)swivel gooseneck
M98E-502SG04 (215mm)swivel gooseneck



M98E-503SN12
8" (203mm) Center
Deck Mounted Faucet

- Deck Mounted Faucet with 12" swivel nozzle
- Inlet kit sold separately
- Also available with other length swivel nozzles:
M99E-503SN18 18"swivel nozzle
 Model No.:
M99E-503SN06 6"(150mm)swivel nozzle
M99E-503SN08 8"(203mm)swivel nozzle
M99E-503SN10 10"(254mm)swivel nozzle
M99E-503SN12 12"(305mm)swivel nozzle
M99E-503SN14 14"(355mm)swivel nozzle
M99E-503SN16 16"(406mm)swivel nozzle





M98E-503SG03
8" (203mm) Center
Wall Mounted Faucet
with 5¹¹/₁₆" swivel gooseneck

- Model No.:
M98E-503SG02 (92mm)swivel gooseneck
M98E-503SG03 (145mm)swivel gooseneck
M98E-503SG04 (215mm)swivel gooseneck



M98E-504SN12
4" (102mm) Center
Deck Mounted Faucet

- Deck mounted faucet with 12" swivel spout
- Inlet kit sold separately
- Also available with other length swivel nozzles:
 Model No.:
M99E-504SN06 6"(150mm)swivel nozzle
M99E-504SN08 8"(203mm)swivel nozzle
M99E-504SN10 10"(254mm)swivel nozzle
M99E-504SN12 12"(305mm)swivel nozzle
M99E-504SN14 14"(355mm)swivel nozzle
M99E-504SN16 16"(406mm)swivel nozzle
M99E-504SN18 18"(457mm)swivel nozzle





M98E-504SG03
4" (102mm) Center
Deck Mounted Faucet
with 5¹¹/₁₆" swivel gooseneck

- Model No.:
M98E-504SG02 (92mm)swivel gooseneck
M98E-504SG03 (145mm)swivel gooseneck
M98E-504SG04 (215mm)swivel gooseneck



M98E-506SN12
8" (203mm) Center
Deck Mounted Faucet

- Deck Mounted Faucet with 12" swivel nozzle
 Inlet kit sold separately
 Also available with other length swivel nozzles:
 Model No.:
M98E-506SN06 6"(150mm)swivel nozzle
M98E-506SN08 8"(203mm)swivel nozzle
M98E-506SN10 10"(254mm)swivel nozzle
M98E-506SN12 12"(305mm)swivel nozzle
M98E-506SN14 14"(355mm)swivel nozzle
M98E-506SN16 16"(406mm)swivel nozzle
M98E-506SN18 18"(457mm)swivel nozzle





M98E-506SG03
8" (203mm) Center
Wall Mounted Faucet
with 5¹¹/₁₆" swivel gooseneck

- Model No.:
M98E-506SG02 (92mm)swivel gooseneck
M98E-506SG03 (145mm)swivel gooseneck
M98E-506SG04 (215mm)swivel gooseneck



M98E-507SN12
8" (203mm) Center
Wall Mounted Faucet

- Wall mounted faucet with 12" swivel nozzle
 Inlet kit sold separately
 Also available with other length swivel nozzles:
 • Model No.:
M98E-507SN06 6"(150mm)swivel nozzle
M98E-507SN08 8"(203mm)swivel nozzle
M98E-507SN10 10"(254mm)swivel nozzle
M98E-507SN12 12"(305mm)swivel nozzle
M98E-507SN14 14"(355mm)swivel nozzle
M98E-507SN16 16"(406mm)swivel nozzle
M98E-507SN18 18"(457mm)swivel nozzle





M98E-507SG03
8" (203mm) Center
Wall Mounted Faucet
with 5¹¹/₁₆" swivel gooseneck

- Model No.:
M98E-507SG02 (92mm)swivel gooseneck
M98E-507SG03 (145mm)swivel gooseneck
M98E-507SG04 (215mm)swivel gooseneck



M98E-508SN12
4" (102mm) Center
Deck Mounted Faucet

- Deck Mounted Faucet with 12" swivel nozzle
 - Inlet kit sold separately
 - Also available with other length swivel nozzles:
- Model No.: **M98E-508SN06** 6"(150mm)swivel nozzle
M98E-508SN08 8"(203mm)swivel nozzle
M98E-508SN10 10"(254mm)swivel nozzle
M98E-508SN12 12"(305mm)swivel nozzle
M98E-508SN14 14"(355mm)swivel nozzle
M98E-508SN16 16"(406mm)swivel nozzle
M98E-508SN18 18"(457mm)swivel nozzle



M98E-508SG03
4" (102mm) Center
Wall Mounted Faucet
with 5¹¹/₁₆" swivel gooseneck

- Model No.:
M98E-508SG02 (92mm)swivel gooseneck
M98E-508SG03 (145mm)swivel gooseneck
M98E-508SG04 (215mm)swivel gooseneck





M98E-509SG03
4" (102mm) Center
Wall Mounted Faucet
with 5¹¹/₁₆" swivel gooseneck

- Model No.:
M98E-509SG02 (92mm)swivel gooseneck
M98E-509SG03 (145mm)swivel gooseneck
M98E-509SG04 (215mm)swivel gooseneck



M98E-509SN12
4" (102mm) Center
Wall Mounted Faucet


- Deck mounted faucet with 12" swivel spout
 - Inlet kit sold separately
 - Also available with other length swivel nozzles:
- Model No.: **M98E-509SN06** 6"(150mm)swivel nozzle
M98E-509SN08 8"(203mm)swivel nozzle
M98E-509SN10 10"(254mm)swivel nozzle
M98E-509SN12 12"(305mm)swivel nozzle
M98E-509SN14 14"(355mm)swivel nozzle
M98E-509SN16 16"(406mm)swivel nozzle
M98E-509SN18 18"(457mm)swivel nozzle



M98E-505SG03
Single supply deck mounted faucet
with 5¹¹/₁₆" swivel gooseneck

- Deck Mounted Faucet with 12" swivel nozzle
- Inlet kit sold separately
- Also available with other length swivel nozzles:


- Model No.:
M98E-505SG02 (92mm)swivel gooseneck
M98E-505SG03 (145mm)swivel gooseneck
M98E-505SG04 (215mm)swivel gooseneck



M98E-505SN12
Single supply deck mounted faucet

- Deck Mounted Faucet with 12" swivel nozzle
- Inlet kit sold separately
- Also available with other length swivel nozzles:

- Model No.:
M98E-505SN06 6"(150mm)swivel nozzle
M98E-505SN08 8"(203mm)swivel nozzle
M98E-505SN10 10"(254mm)swivel nozzle
M98E-505SN12 12"(305mm)swivel nozzle
M98E-505SN14 14"(355mm)swivel nozzle
M98E-505SN16 16"(406mm)swivel nozzle
M98E-505SN18 18"(457mm)swivel nozzle



M98E-HR00
Open hose reels

Hose Reels	15m	11m	7.5m
with water gun	M98E-HRW15	M98E-HRW11	M98E-HRW075
with spray valve	M98E-HRS15	M98E-HRS11	M98E-HRS075



M98E-1SV
Spray valve and handle



XDF5100
Water gun



M98E-510SN12
Single supply wall mounted faucet

Model No.:
M98E-510SN06 6"(150mm)swivel nozzle
M98E-510SN08 8"(203mm)swivel nozzle
M98E-510SN10 10"(254mm)swivel nozzle
M98E-510SN12 12"(305mm)swivel nozzle
M98E-510SN14 14"(355mm)swivel nozzle
M98E-510SN16 16"(406mm)swivel nozzle
M98E-510SN18 18"(457mm)swivel nozzle

M98E-510SG03
Single supply wall mounted faucet
with 5¹¹/₁₆" swivel gooseneck

Model No.:
M98E-510SG02 (92mm)swivel gooseneck
M98E-510SG03 (145mm)swivel gooseneck
M98E-510SG04 (215mm)swivel gooseneck

SG03

5¹¹/₁₆" swivel gooseneck

Model No.:
SG02 (92mm)swivel gooseneck
SG03 (145mm)swivel gooseneck
SG04 (215mm)swivel gooseneck




SN00

Model number
SN 6 6" Swing nozzle
SN 8 8" Swing nozzle
SN10 10" Swing nozzle
SN12 12" Swing nozzle
SN14 14" Swing nozzle
SN16 16" Swing nozzle
SN18 18" Swing nozzle
DJ18 18"double-joint
swivel nozzle


M98E-12AD
Add-on faucets
With Swing spouts in various lengths

For pre-rinse units
 3/8" NPT female outlet, 3/8" NPT male inlet
 Model No.: **M98E-00AD** Faucet less nozzle
M98E- 6AD 6" Add-on faucet
M98E- 8AD 8" Add-on faucet
M98E-10AD 10" Add-on faucet
M98E-12AD 12" Add-on faucet
M98E-14AD 14" Add-on faucet
M98E-16AD 16" Add-on faucet
M98E-18AD 18" Add-on faucet



M98E-SN06
4" (102mm) Center
Wall Mounted Faucet

M98E-SG02
4" (102mm) Center
Wall Mounted Faucet





M98E-501S1-SH
Double Pantry Faucet

1)Deck-mounted pantry faucet
 2)Single hole
 3)G1/2"eccentric male inlets
 4)S/S 304 double buckle type tube
 5)Double function sprinkler

M98E-501SN12-SH

• 18" flexible inlets with 1/2" couplings
 • Also available with other length swivel nozzles:
 Model No.: **M99E-501SN06-SH** 6"(150mm)swivel nozzle
M99E-501SN08-SH 8"(203mm)swivel nozzle
M99E-501SN10-SH 10"(254mm)swivel nozzle
M99E-501SN12-SH 12"(305mm)swivel nozzle
M99E-501SN14-SH 14"(355mm)swivel nozzle
M99E-501SN16-SH 16"(406mm)swivel nozzle
M99E-501SN18-SH 18"(457mm)swivel nozzle




M98E-501SG03-SH

Single Hole Deck Mounted Faucet
with 5¹¹/₁₆" swivel gooseneck

Model No.:
M98E-501SG02-SH (92mm)swivel gooseneck
M98E-501SG03-SH (145mm)swivel gooseneck
M98E-501SG04-SH (215mm)swivel gooseneck





M98E-502S1-SH

Kitchen Faucet



- 1) Wall-mounted pantry faucet
- 2) 8" (203mm) centers
- 3) G1/2" eccentric flanged female inlets
- 4) S/S 304 double buckle type tube
- 5) Double function sprinkler



M98E-502SN12-SH

**8" (203mm) Center
Wall Mounted Faucet**

- Wall mounted faucet with 12" swivel nozzle
- Inlet kit sold separately
- Also available with other length swivel nozzles:
Model No.:
M99E-502SN06-SH 6" (150mm) swivel nozzle
M99E-502SN08-SH 8" (203mm) swivel nozzle
M99E-502SN10-SH 10" (254mm) swivel nozzle
M99E-502SN12-SH 12" (305mm) swivel nozzle
M99E-502SN14-SH 14" (355mm) swivel nozzle
M99E-502SN16-SH 16" (406mm) swivel nozzle
M99E-502SN18-SH 18" swivel nozzle



M98E-502SG03-SH

**8" (203mm) Center
Wall Mounted Faucet
with 5 11/16" swivel gooseneck**

- Model No.:
- M98E-502SG02-SH (92mm) swivel gooseneck
 - M98E-502SG03-SH (145mm) swivel gooseneck
 - M98E-502SG04-SH (215mm) swivel gooseneck



M98E-00AD



M98E-HD03
handle



M98E-H
Stainless steel
hose



M98E-H44
Stainless steel
hose and handle



M98E-SVH
Spray valve handle




M98E-OSV
Spray valve for
All pre-rinse units



M98E-CC04
Ceramic Cartridge
Assembly

- cold cartridge M98E-CC04RTC
- hot cartridge M98E-CC04LTC



98-SP
Coil Spring



98-WB
Wall Bracket



98-PP
Riser Pipe L-20"
(510mm)